US SAFETY EQUIPMENT

Top quality safety products to keep your workers safe.



1-800-331-2973 | NTGproducts@yahoo.com



ABOUT US SAFETY EQUIPMENT



At US Safety Equipment, we work hard to bring you the safety products you need with the quality your workers deserve. We offer a large variety of safety equipment products required by most contractors, many with a range of options to suit your specific needs.

We are confident you will find the safety equipment solution you need from our top-notch supplier. We look forward to working with you to offer the safety your job deserves.

US Safety Equipment is a subsidiary of National Tool Grinding, Inc. in Erie, Pennsylvania.

THE ABC'S OF FALL PROTECTION

There are three vital components to consider when selecting a fall protection system, often referred to as the ABC's of fall protection.

The ABC's of Fall Protection are:

- Anchorage
- Body Support or Wear
- Connecting Device

All components must be used together and be working properly to protect from a fall. While all components are essential, the most critical of the three is the connecting device. The connecting device will receive the most significant impact during a fall, and it must withstand that force.

ANCHORAGE/ANCHOR CONNECTOR


OSHA defines anchorage as a secure point of attachment onto a structure. An anchor connector is a component used to attach the connecting device to the anchor, such as a beam anchor.

BODY SUPPORT OR WEAR

Body support or wear is worn around the torso, such as a full-body harness. Full-body harnesses distribute fall arrest forces over the upper thighs, pelvis, chest, and shoulders. The harness will have a connection point centered on the back, which will be used to attach the connecting device.

CONNECTING DEVICE


Connecting devices, such as shock-absorbing lanyards or retractable lifelines, join the body support and anchorage or anchor connector. The shock-absorbing lanyard is meant to absorb the energy produced by a fall, reducing the impact felt by the user.



1-800-331-2973 | NTGPRODUCTS@YAHOO.COM | ★ QUICK SHIP ITEMS 1-2 BUSINESS DAYS

CALCULATING FALL DISTANCE

The diagram below illustrates how to calculate fall distance clearances using a standard 6' shock absorbing lanyard. If you have any questions or are unclear about any aspect of fall protection, please feel free to give us a call at 1-800-331-2973 or contact us via email at NTGproducts@yahoo.com. We're happy to help!



2' - 3' Safety Factor

HARNESS OPTIONS & ACCESSORIES

Quick ship items will be shipped in 1-2 business days, depending on when the order is placed. Items that are "non-stock" typically require 5-7 business to ship.

HARNESS OPTIONS

All options are non-stock and will increase ship time to 5-7 business days.

Option A: Shoulder pads (two pieces) \$16.25

Option F: Leg pads (two pieces) \$31.25


Option P: Removable, washable, retrofit back and shoulder pad (one piece) \$43.75

HARNESS ACCESSORIES

All accessories are stock items.

1418 - 18" x 1-3/4" D-ring extension strap with D-ring on one end and locking snap on the other end. **\$38.20**

TL3 - Single leg tool lanyard **\$19.55**



COLOR OPTIONS

All harnesses are stocked in yellow except for the Stratos Line, which comes standard in green. Other available webbing colors are lime, orange, orange 2 (darker), red, blue, evergreen, gray, and black.





4

US SAFETY EQUIPMENT

BODY HARNESSES & VESTS

STRATOS HARNESSES


The STRATOS Series full-body harnesses come standard in green, but alternate webbing colors are available. All harnesses feature Strato-lite leg and shoulder or back pads. Strato-lite padding enhances breathability and controls moisture through the use of open-celled air mesh, providing ultimatum comfort.

HARNESS OPTIONS FOR STRATOS HARNESSES:

Option B: Hip D-rings for positioning Option D: Shoulder D-rings Option 9: Additional back D-ring with extension strap built into harness Option H: Chest D-ring Option U-Step: Suspension trauma straps

STRATOS COLOR OPTIONS







22950 STRATOS CROSS-CHEST STYLE

- 4 point adjustment cross-chest design with chest D-ring
- Meets and exceeds OSHA and ANSI standards
- Grommet/tongue buckle leg straps
- Comes standard in Green/Black webbing

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-22950 | \$289.48 |



22650B STRATOS VEST STYLE ★

- 5 point adjustment cross-chest design with chest D-ring
- Meets and exceeds OSHA and ANSI standards
- Grommet/tongue buckle leg straps
- Comes standard in Green/Black webbing

| ITEM CODE: | PRICE: | |
|------------|----------|--|
| US1-22650B | \$276.60 | |



22850B STRATOS CONSTRUCTION STYLE *

- 6 point adjustment cross-chest design with chest D-ring
- Hip positioning D-rings
- Meets and exceeds OSHA and ANSI standards
- Comfort waist pad & removable tool belt, grommet/tongue buckle leg straps
- Comes standard in Green/Black webbing

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-22850B | \$356.10 |



22850BH-ALT ★

- 6 point adjustment with removable tool belt
- Meets and exceeds OSHA and ANSI standards
- Chest D-ring and hip positioning D-rings
- Grommet/tongue buckle leg straps,
- Removable positioning/suspension saddle with D-rings
- Comes standard in Green/Black webbing

| ITEM CODE: | PRICE: |
|-----------------|----------|
| US1-22850BH-ALT | \$461.45 |

22970 STRATOS CROSS-CHEST STYLE

- 4 point adjustment cross-chest design with chest D-ring
- Meets and exceeds OSHA and ANSI standards
- Quick-connect bayonet leg straps
- Comes standard in Green/Black webbing

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-22970 | \$289.48 |







550 LIGHT DUTY HARNESS *

- Rust proof brass grommets
- ASTM standard hardware plating for corrosion resistance
- 6 point adjustment and permanently attached waist belt
- EZ-Slide back D-ring keeps workers vertical after a fall
- Chest strap featuring simple pass-thru buckle
- Lumbar straps in rear protects worker from rear release
- Simple and quick shoulder strap adjustments
- Meets or exceeds all applicable fall-arrest systems standards including: OSHA, ANSI and the stringent ANSI Z359

| ITEM CODE: | PRICE: | SIZE: |
|-------------|-------------------------|------------|
| US1-550-S | \$125.85 | S (32-40) |
| US1-550-M | \$125.85 | M (36-44) |
| US1-550-L | \$125.85 | L (40-48) |
| US1-550-XL | \$132.15 | XL (44-52) |
| US1-550-2X | \$138.75 | 2X (48-56) |
| US1-550-3X | \$145.65 | 3X (52-60) |
| WITH | HIP POSITIONING D-RINGS | |
| US1-550B-S | \$144.60 | S (32-40) |
| US1-550B-M | \$144.60 | M (36-44) |
| US1-550B-L | \$144.60 | L (40-48) |
| US1-550B-XL | \$151.85 | XL (44-52) |
| US1-550B-2X | \$159.45 | 2X (48-56) |
| US1-550B-3X | \$154.00 | 3X (52-60) |
| | | |



| 500 SERIES LIGHTWEIGHT HARNESSES NOT PICTURED | | |
|---|--|----------|
| ITEM CODE: | DESCRIPTION: | PRICE: |
| US1-530-S | 530 Full body harness with mating buckle leg straps | \$125.85 |
| US1-570-S | 570 Full body harness with super-quick bayonet buckles on the chest and legs | \$154.80 |



631 LIGHTWEIGHT UNIVERSAL BODY HARNESS *

- ASTM standard hardware plating for corrosion resistance
- 3-point adjustment system for accurate sizing
- EZ-Slide back D-ring keeps workers vertical after a fall
- Perfect-fit chest strap with easy to use pass-thru buckle, sewn in place to prevent user maladjustment
- Meets or exceeds all applicable fall-arrest systems standards including: OSHA, ANSI and the stringent ANSI Z359
- Additional rear lumbar straps provide security against rear worker release

| ITEM CODE: | PRICE: | SIZE: |
|-------------|-------------------------|--------------|
| US1-631-SM | \$85.40 | S-M (32-44) |
| US1-631-MXL | \$85.40 | M-XL (36-52) |
| WITH | HIP POSITIONING D-RINGS | |
| US1-631B | \$104.15 | M-XL (36-52) |



★ QUICK SHIP ITEMS 1-2 BUSINESS DAYS | 1-800-331-2973 | NTGPRODUCTS@YAHOO.COM





650 LIGHTWEIGHT FULL BODY HARNESS


- 5-Point adjustment full body harness
- Tongue buckle/grommet leg straps, pass-thru buckle chest strap
- Spring-loaded friction buckles on shoulder straps for quick and easy adjustment that stays in place
- EZ-Slide back D-ring keeps workers vertical after a fall
- Perfect-fit chest strap with easy to use pass-thru buckle, sewn in place to prevent user maladjustment
- Additional rear lumbar straps provide security against rear worker release
- Hardware plated to ASTM standards for corrosion resistance
- Meets or exceeds all applicable fall-arrest systems standards including OSHA, ANSI and the stringent ANSI Z359

| ITEM CODE: | PRICE: | SIZE: |
|------------------------------|----------|------------|
| US1-650-S | \$122.85 | S (32-40) |
| US1-650-M | \$122.85 | M (36-44) |
| US1-650-L | \$122.85 | L (40-48) |
| US1-650-XL | \$129.00 | XL (44-52) |
| WITH HIP POSITIONING D-RINGS | | |
| US1-650B-S | \$141.60 | S (32-40) |
| US1-650B-M | \$141.60 | M (36-44) |
| US1-650B-L | \$141.60 | L (40-48) |
| US1-650B-XL | \$148.70 | XL (44-52) |
| | | |



651 LIGHTWEIGHT UNIVERSAL BODY HARNESS *

- ASTM standard hardware plating for corrosion resistance
- 3-point adjustment system
- Tongue buckle/grommet leg straps, pass-thru buckle chest strap
- EZ-Slide back D-ring keeps workers vertical after a fall
- Additional rear lumbar straps provide security against rear worker release
- Meets or exceeds all applicable fall-arrest systems standards including: OSHA, ANSI and the stringent ANSI Z359





 ITEM CODE:
 PRICE:
 SIZE:

 US1-651-SM
 \$95.90
 \$-M (32-44)

 US1-651-MXL
 \$95.90
 M-XL (36-52)

 WITH HIP POSITIONING D-RINGS
 US1-651B-SM
 \$122.15

 US1-651B-MXL
 \$122.15
 M-XL (36-52)



671PR LIGHTWEIGHT UNIVERSAL BODY HARNESS

- Light weight full body harness (red)
- Super-quick bayonet chest and leg buckles
- One piece comfort back & shoulder pad

| ITEM CODE: | PRICE: | SIZE: |
|---------------|----------|--------------|
| US1-671PR-SM | \$159.10 | S-M (32-44) |
| US1-671PR-MXL | \$159.10 | M-XL (36-52) |

| 600 SERIES HARNESSES NOT PICTURED | | |
|-----------------------------------|---|----------|
| ITEM CODE: | DESCRIPTION: | PRICE: |
| US1-630-SM | 630 Full body harness with mating buckle leg straps | \$122.85 |
| US1-630B-SM | 630 Full body harness w/ hip positioning D-rings | \$141.60 |
| US1-631D-SM | 631 with shoulder D-rings | \$111.65 |
| US1-651D-SM | 651 with shoulder D-rings | \$122.15 |
| US1-671-SM | 671 Lightweight full body harness (yellow) with super quick bayonet chest and leg buckles | \$115.35 |



850 FULL BODY HARNESS

- Full body harness with adjustable waist, chest, shoulder and grommet/ tongue buckle leg straps
- Suited for construction and industrial environments
- 6" back pad
- Leather lined tool belt that can be removed

| ITEM CODE: | PRICE: | SIZE: |
|-------------|-------------------------|------------|
| US1-850-S | \$185.75 | S (32-40) |
| US1-850-M | \$185.75 | M (36-44) |
| US1-850-L | \$185.75 | L (40-48) |
| US1-850-XL | \$195.00 | XL (44-52) |
| US1-850-2X | \$204.75 | 2X (48-56) |
| US1-850-3X | \$214.00 | 3X (52-60) |
| WITH | HIP POSITIONING D-RINGS | |
| US1-850B-S | \$204.50 | S (32-40) |
| US1-850B-M | \$204.50 | M (36-44) |
| US1-850B-L | \$204.50 | L (40-48) |
| US1-850B-XL | \$214.75 | XL (44-52) |
| US1-850B-2X | \$225.50 | 2X (48-56) |
| US1-850B-3X | \$236.80 | 3X (52-60) |









850AB INDUSTRIAL & CONSTRUCTION HARNESS *

- EZ-Slide back D-ring, perfect-fit chest strap, spring-loaded friction buckle shoulder straps, tongue buckle leg straps, and Vertadjust 6 waist pad.
- Quick connection with EZ-Slide back D-ring allows workers to maintain a vertical position after a fall
- Additional rear lumbar straps provide security against rear worker release
- 1300 Denier construction to withstand maximum abuse
- Rust proof brass grommets
- ASTM standard hardware plating for corrosion resistance
- Meets or exceeds all applicable fall-arrest systems standards including: OSHA, ANSI and the stringent ANSI Z359

| ITEM CODE: | PRICE: | SIZE: |
|--------------|----------|------------|
| US1-850AB-S | \$226.30 | S (32-40) |
| US1-850AB-M | \$226.30 | M (36-44) |
| US1-850AB-L | \$226.30 | L (40-48) |
| US1-850AB-XL | \$237.30 | XL (44-52) |
| US1-850AB-2X | \$249.50 | 2X (48-56) |

870BP FULL BODY HARNESS

- EZ-Slide back D-ring, sewn-in place bayonet buckle on the chest strap, spring-loaded friction buckles on shoulder straps, shoulder pads
- Unlimited vertical adjustment with 6" comfort waist pad
- Padding system is wear-resistant with military spec moisture management . Anti-microbial coating prevents mildew.
- 1300 Denier construction to withstand maximum abuse
- Tongue-buckle tool belt can be removed and is reinforced for rigor suited for any configuration of tool pouch.
- ASTM standard hardware plating for corrosion resistance
- Meets or exceeds all applicable fall-arrest systems standards including: OSHA, ANSI and the stringent ANSI Z359

| ITEM CODE: | PRICE: | SIZE: |
|--------------|----------|------------|
| US1-870BP-S | \$277.20 | S (32-40) |
| US1-870BP-M | \$277.20 | M (36-44) |
| US1-870BP-L | \$277.20 | L (40-48) |
| US1-870BP-XL | \$291.06 | XL (44-52) |
| US1-870BP-2X | \$305.60 | 2X (48-56) |
| US1-870BP-3X | \$320.90 | 3X (52-60) |



800PS

Positioning strap, 3-1/2" wide padded saddle seat with D-rings.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-800PS | \$53.21 |





853AB INDUSTRIAL & CONSTRUCTION HARNESS

- Sub-Pelvic strap adds support during suspension
- Front mounted D-ring connects to vertical climbing systems. EZ-Slide back D-ring keeps workers vertical after a fall
- Perfect-fit chest strap, spring-loaded friction buckle shoulder straps, tongue buckle leg straps, and "Vertadjust 6" waist pad.
- 1300 Denier construction to withstand maximum abuse
- Additional rear lumbar straps provide security against rear worker release
- Rust proof brass grommets
- ASTM standard hardware plating for corrosion resistance
- Meets or exceeds all applicable fall-arrest systems standards including: OSHA, ANSI and the stringent ANSI Z359

| ITEM CODE: | PRICE: | SIZE: |
|--------------|----------|------------|
| US1-853AB-S | \$226.75 | S (32-40) |
| US1-853AB-M | \$226.75 | M (36-44) |
| US1-853AB-L | \$226.75 | L (40-48) |
| US1-853AB-XL | \$238.10 | XL (44-52) |
| US1-853AB-2X | \$250.00 | 2X (48-56) |
| US1-853AB-3X | \$262.50 | 3X (52-60) |

872 FEMALE FULL BODY HARNESS

- Female full body harness specifically designed for women
- Bayonet buckles on legs, waist, and chest
- Adjustable shoulder straps, leg pads, and 4" back pad

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|------------|
| US1-872-S | \$210.35 | S (32-40) |
| US1-872-M | \$210.35 | M (36-44) |
| US1-872-L | \$210.35 | L (40-48) |
| US1-872-XL | \$220.85 | XL (44-52) |
| US1-872-2X | \$231.90 | 2X (48-56) |
| US1-872-3X | \$243.50 | 3X (52-60) |

| | 800 INDUSTRIAL & CONSTRUCTION SERIES HARNESSES NOT PICTURED | |
|-------------|---|----------|
| ITEM CODE: | DESCRIPTION: | PRICE: |
| US1-830-S | 830 Full body harness with mating buckle leg straps, 6" back pad, removable tool belt | \$185.80 |
| US1-830AB-S | 830AB - 830 with shoulder pads and hip positioning D-rings | \$220.75 |
| US1-850A-S | 850A - 850 with shoulder pads | \$202.00 |
| US1-870-S | 870 Full body harness with super-quick bayonet chest & leg buckles, 6" back pad, removable tool belt | \$214.70 |
| US1-870AB-S | 870AB - 870 with shoulder pads and hip positioning D-rings | \$249.70 |
| US1-872B-S | 872B - 872 with hip positioning D-rings | \$229.10 |
| US1-872AB-S | 872AB - 872 with shoulder pads and hip positioning D-rings | \$245.35 |
| US1-833-S | 833 - full body harness with mating buckle leg straps, 6" back pad, sub-pelvic strap, removable tool belt | \$191.75 |
| US1-853-S | 853 - full body harness with grommet/tongue buckle leg straps, 6" back pad, removable tool belt, sub-pelvic strap | \$191.75 |





850ABT FULL BODY HARNESS - TOWER CLIMBER SERIES

- All the features of an 850AB and more
- EZ-Slide back D-ring keeps workers vertical after a fall
- Perfect-fit chest strap with easy to use pass-thru buckle, sewn in place to prevent user maladjustment
- Simple and quick shoulder strap adjustments with spring-loaded friction buckles
- Tongue buckle leg straps for fast and easy donning, brass grommets that won't rust
- "Vertadjust" 6" comfort waist pad assembly provides workers unlimited vertical adjustment at various angles
- Shoulder pads add extra comfort
- Padding system is wear-resistant with military spec moisture management Anti-microbial coating prevents mildew.
- Tongue-buckle tool belt can be removed and is reinforced for rigor suited for any configuration of tool pouch.
- Easily positioned or suspended saddle with D-rings
- ASTM standard hardware plating for corrosion resistance
- Meets or exceeds all applicable fall-arrest systems standards including OSHA, ANSI and the stringent ANSI Z359

| ITEM CODE: | PRICE: | SIZE: |
|---------------|----------|------------|
| US1-850ABT-S | \$245.40 | S (32-40) |
| US1-850ABT-M | \$245.40 | M (36-44) |
| US1-850ABT-L | \$245.40 | L (40-48) |
| US1-850ABT-XL | \$257.70 | XL (44-52) |
| US1-850ABT-2X | \$270.60 | 2X (48-56) |
| US1-850ABT-3X | \$284.00 | 3X (52-60) |



850B-TS INDUSTRIAL AND CONSTRUCTION HARNESS *

- Designed for tower climbing applications with D-rings mounted on the front to connect to vertical climbing systems
- EZ-Slide back D-ring keeps workers vertical after a fall
- Perfect-fit chest strap, spring-loaded friction buckle shoulder straps, tongue buckle leg straps, and Vertadjust 6 waist pad.
- Additional rear lumbar straps provide security against rear worker release
- 1300 Denier construction to withstand maximum abuse
- Rust proof brass grommets
- ASTM standard hardware plating for corrosion resistance
- Meets or exceeds all applicable fall-arrest systems standards including: OSHA, ANSI and the stringent ANSI Z359

| ITEM CODE: | PRICE: | SIZE: |
|----------------|----------|------------|
| US1-850B-TS-S | \$210.75 | S (32-40) |
| US1-850B-TS-M | \$210.75 | M (36-44) |
| US1-850B-TS-L | \$210.75 | L (40-48) |
| US1-850B-TS-XL | \$221.50 | XL (44-52) |
| US1-850B-TS-2X | \$232.35 | 2X (48-56) |
| US1-850B-TS-3X | \$243.95 | 3X (52-60) |



8D150ABT DERRICK HARNESS

- Designed for the oil industry and/or anyone who works on the monkey board
- The derrick belt, which attaches with mating buckles is optional, and the harness can be worn without it
- 6" comfort waist belt with back D-ring and hip D-rings for positioning,
- Seat sling features D-rings for positioning and help lessen fatigue
- Shoulder pads provide additional comfort
- Tongue buckle leg straps for easy dressing

| PRICE: | SIZE: |
|----------|--|
| \$414.00 | S (32-40) |
| \$414.00 | M (36-44) |
| \$414.00 | L (40-48) |
| \$435.00 | XL (44-52) |
| \$456.75 | 2X (48-56) |
| \$479.60 | 3X (52-60) |
| | \$414.00 \$414.00 \$414.00 \$435.00 \$435.00 \$456.75 |





897ABT FULL BODY HARNESS - TOWER CLIMBER SERIES

- The Custom-Fit Climber with an 8-point adjustment system
- EZ-Slide back D-ring keeps workers vertical after a fall
- Spring-loaded friction buckle on shoulder straps, tongue buckle leg straps
- Brass grommets that won't rust
- Pass-thru buckle adjustable front center chest D-ring for vertical climbing systems
- Shoulder pads add extra comfort
- "Vertadjust" 6" comfort waist pad assembly, provides workers unlimited vertical adjustment at various angles
- Padding system is wear-resistant with military spec moisture management. Anti-microbial coating prevents mildew.
- 1300 Denier construction to withstand maximum abuse
- Tongue-buckle tool belt can be removed and is reinforced for rigor suited for any configuration of tool pouch
- ASTM standard hardware plating for corrosion resistance
- Positioning saddle with D-rings allows for simple suspension or positioning and is removable
- Meets or exceeds all applicable fall-arrest systems standards including OSHA, ANSI and the stringent ANSI Z359

| ITEM CODE: | PRICE: | SIZE: |
|---------------|----------|------------|
| US1-897ABT-S | \$282.00 | S (32-40) |
| US1-897ABT-M | \$282.00 | M (36-44) |
| US1-897ABT-L | \$282.00 | L (40-48) |
| US1-897ABT-XL | \$296.00 | XL (44-52) |
| US1-897ABT-2X | \$310.80 | 2X (48-56) |
| US1-897ABT-3X | \$326.35 | 3X (52-60) |



887PBT FULL BODY HARNESS

- Full body harness with grommet/tongue buckle leg straps
- One piece comfort back/shoulder pad
- 6" Back Pad, removable tool belt, two accessory rings, fixed rigid positioning saddle, adjustable front center chest D-ring, and hip positioning rings

| ITEM CODE: | PRICE: | SIZE: |
|---------------|----------|------------|
| US1-887PBT-S | \$370.40 | S (32-40) |
| US1-887PBT-M | \$370.40 | M (36-44) |
| US1-887PBT-L | \$370.40 | L (40-48) |
| US1-887PBT-XL | \$388.95 | XL (44-52) |
| US1-887PBT-2X | \$408.40 | 2X (48-56) |
| US1-887PBT-3X | \$428.85 | 3X (52-60) |

930 FULL BODY HARNESS - CROSSOVER SERIES

- Dressing is fast with over-the-head design
- Leg buckles are adjustable with pass-thru design
- D-ring located on back for fall arrest
- Easily adjusted shoulder straps with spring-loaded friction buckles
- Front, center chest D-ring for climbing, suspension, positioning, or rescue
- Hardware plated to ASTM standards for corrosion resistance
- Meets or exceeds all applicable fall-arrest systems standards including OSHA, ANSI and the stringent ANSI Z359

| ITEM CODE: PRICE: SIZE: US1-930-S \$125.85 \$ (32-40) US1-930-M \$125.85 M (36-44) US1-930-L \$125.85 L (40-48) US1-930-L \$132.15 XL (44-52) US1-930-XL \$138.75 2X (48-56) US1-930-3X \$145.70 3X (52-60) WITH HIP POSITIONING D-RINGS US1-930B-S \$144.60 US1-930B-M \$144.60 M (36-44) |
|--|
| US1-930-M \$125.85 M (36-44) US1-930-L \$125.85 L (40-48) US1-930-XL \$132.15 XL (44-52) US1-930-2X \$138.75 2X (48-56) US1-930-3X \$145.70 3X (52-60) WITH HIP POSITIONING D-RINGS US1-930B-S \$144.60 US1-930B-M \$144.60 M (36-44) |
| US1-930-L \$125.85 L (40-48) US1-930-XL \$132.15 XL (44-52) US1-930-2X \$138.75 2X (48-56) US1-930-3X \$145.70 3X (52-60) WITH HIP POSITIONING D-RINGS US1-930B-S \$144.60 \$ (32-40) US1-930B-M \$144.60 M (36-44) \$ (36-44) |
| US1-930-XL \$132.15 XL (44-52) US1-930-2X \$138.75 2X (48-56) US1-930-3X \$145.70 3X (52-60) WITH HIP POSITIONING D-RINGS US1-930B-S \$144.60 \$ (32-40) US1-930B-M \$144.60 M (36-44) \$ (36-44) |
| US1-930-2X \$138.75 2X (48-56) US1-930-3X \$145.70 3X (52-60) WITH HIP POSITIONING D-RINGS US1-930B-S \$144.60 \$ (32-40) US1-930B-M \$144.60 M (36-44) |
| US1-930-3X \$145.70 3X (52-60) WITH HIP POSITIONING D-RINGS US1-930B-S \$144.60 \$ (32-40) US1-930B-M \$ 144.60 M (36-44) |
| WITH HIP POSITIONING D-RINGS US1-930B-S \$144.60 \$ (32-40) US1-930B-M \$144.60 M (36-44) |
| US1-930B-S \$144.60 \$ (32-40) US1-930B-M \$144.60 M (36-44) |
| US1-930B-M \$144.60 M (36-44) |
| |
| |
| US1-930B-L \$144.60 L (40-48) |
| US1-930B-XL \$151.85 XL (44-52) |
| US1-930B-2X \$159.45 2X (48-56) |
| US1-930B-3X \$167.45 3X (52-60) |









950 FULL BODY HARNESS - CROSSOVER SERIES

- Full body harness
- Back D-ring, chest D-ring, adjustable shoulder straps, and grommet/tongue buckle leg straps.

| ITEM CODE: | PRICE: | SIZE: |
|-------------|--|--|
| US1-950-S | \$125.85 | S (32-40) |
| US1-950-M | \$125.85 | M (36-44) |
| US1-950-L | \$125.85 | L (40-48) |
| US1-950-XL | \$132.15 | XL (44-52) |
| US1-950-2X | \$138.75 | 2X (48-56) |
| US1-950-3X | \$145.70 | 3X (52-60) |
| WITH | HIP POSITIONING D-RINGS | |
| US1-950B-S | \$144.60 | S (32-40) |
| US1-950B-M | \$144.60 | M (36-44) |
| US1-950B-L | \$144.60 | L (40-48) |
| US1-950B-XL | \$151.85 | XL (44-52) |
| US1-950B-2X | \$159.45 | 2X (48-56) |
| US1-950B-3X | \$167.45 | 3X (52-60) |
| | US1-950-S US1-950-M US1-950-L US1-950-XL US1-950-2X US1-950-3X WITH US1-950B-S US1-950B-M US1-950B-L US1-950B-XL US1-950B-XL US1-950B-ZX | US1-950-S \$125.85 US1-950-M \$125.85 US1-950-L \$125.85 US1-950-XL \$132.15 US1-950-2X \$138.75 US1-950-3X \$145.70 WITH HIP POSITIONING D-RINGS US1-950B-S \$144.60 US1-950B-L \$144.60 US1-950B-L \$144.60 US1-950B-XL \$151.85 US1-950B-XL \$151.85 US1-950B-2X \$159.45 |





AF630KDE ARC FLASH HARNESS - SPECIALTY SERIES

- Arc Flash Harness made of heat & flame resistant Kevlar® webbing,
- Features adjustable die-electric buckles (chest, shoulder, leg), die-electric back sliding D-ring, and flame resistant label cover.
- Available options: hip D-rings, shoulder D-rings, chest D-ring, and additional back D-ring with extension strap.

| ITEM CODE: | PRICE: | SIZE: |
|------------------|----------|------------|
| US1-AF630K-DE-S | \$550.00 | S (32-40) |
| US1-AF630K-DE-M | \$550.00 | M (36-44) |
| US1-AF630K-DE-L | \$550.00 | L (40-48) |
| US1-AF630K-DE-XL | \$577.50 | XL (44-52) |
| US1-AF630K-DE-2X | \$606.40 | 2X (48-56) |
| US1-AF630K-DE-3X | \$636.75 | 3X (52-60) |



AF390AKZ ARC FLASH CERTIFIED LANYARD

- Heat & flame resistant Kevlar® lanyard with flame resistant shock-pack
- Loop for choking to harness D-ring
- #Z74 snap hook for anchor connection
- Flame resistant label cover

| ITEM CODE: | PRICE: | SIZE: |
|--------------|----------|-------|
| US1-AF390AKZ | \$361.85 | 6' |



AF390AKDLZ ARC FLASH CERTIFIED LANYARD

- Dual-leg heat & flame resistant Kevlar[®] lanyard with flame resistant shock-pack
- Loop for choking to harness D-ring
- #Z74 snap hooks for anchor connection
- Flame resistant label cover

| ITEM CODE: | PRICE: | SIZE: |
|----------------|----------|-------|
| US1-AF390AKDLZ | \$439.60 | 6' |



Image shows reflective material in the dark

552 FULL BODY MINER'S HARNESS - SPECIALTY SERIES

- Convenient lamp and battery straps for easy, hands free storage
- 6-Point adjustment system with permanently attached waist belt, EZ-slide back D-ring, sewn-in place perfect fit chest strap with pass-thru buckle, spring-loaded friction buckle on shoulder straps, and tongue buckle leg and waist straps for fast and easy donning, brass grommets that won't rust
- Lanyard rings on each shoulder
- Easy access radio loops
- 152" of reflective material for high visibility and added safety
- Hardware plated to ASTM standards for corrosion resistance
- Meets or exceeds all applicable fall-arrest systems standards including OSHA, ANSI and the stringent ANSI Z359

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|------------|
| US1-552-S | \$269.65 | S (32-40) |
| US1-552-M | \$269.65 | M (36-44) |
| US1-552-L | \$269.65 | L (40-48) |
| US1-552-XL | \$283.15 | XL (44-52) |



631LJ FULL BODY HARNESS WITH LIFE JACKET - SPECIALTY SERIES

- Model 631 with a built in life jacket
- Features a sliding D-ring in the center of the back to keep workers vertical in suspension

| ITEM CODE: | PRICE: | SIZE: |
|--------------|----------|------------|
| US1-631LJ-S | \$329.60 | S (32-40) |
| US1-631LJ-M | \$329.60 | M (36-44) |
| US1-631LJ-L | \$329.60 | L (40-48) |
| US1-631LJ-XL | \$346.00 | XL (44-52) |
| US1-631LJ-2X | \$363.50 | 2X (48-56) |
| US1-631LJ-3X | \$381.70 | 3X (52-60) |



530-HOT FULL BODY HARNESS - WELDING SERIES

- Fully adjustable full body harness
- Made with 100% heat resistant Kevlar® webbing and stitching
- Pass-thru leg buckles
- Spring-loaded friction buckles on shoulder straps for quick and easy adjustment that stays in place
- EZ-Slide back D-ring keeps workers vertical after a fall
- Perfect-fit chest strap with easy to use pass-thru buckle, sewn in place to prevent user maladjustment
- Waist belt provides secure fit and security from dorsal ejection
- Hardware plated to ASTM standards for corrosion resistance
- Meets or exceeds all applicable fall-arrest systems standards including OSHA, ANSI and the stringent ANSI Z359

| ITEM CODE: | PRICE: | SIZE: |
|-----------------|-------------------------|------------|
| US1-530-HOT-S | \$461.40 | S (32-40) |
| US1-530-HOT-M | \$461.40 | M (36-44) |
| US1-530-HOT-L | \$461.40 | L (40-48) |
| US1-530-HOT-XL | \$484.50 | XL (44-52) |
| US1-530-HOT-2X | \$508.75 | 2X (48-56) |
| US1-530-HOT-3X | \$534.20 | 3X (52-60) |
| WITH | HIP POSITIONING D-RINGS | |
| US1-530B-HOT-S | \$480.15 | S (32-40) |
| US1-530B-HOT-M | \$480.15 | M (36-44) |
| US1-530B-HOT-L | \$480.15 | L (40-48) |
| US1-530B-HOT-XL | \$504.15 | XL (44-52) |
| US1-530B-HOT-2X | \$529.35 | 2X (48-56) |
| US1-530B-HOT-3X | \$555.80 | 3X (52-60) |
| | | |





631-HOT FULL BODY HARNESS - WELDING SERIES

- 3-Point adjustment full body harness
- Made with 100% heat resistant Kevlar® webbing and stitching
- Pass-thru leg and chest buckles
- EZ-Slide back D-ring keeps workers vertical after a fall
- Perfect-fit chest strap with easy to use pass-thru buckle, sewn in place to prevent user maladjustment
- Additional back safety straps provide security from dorsal ejection
- Hardware plated to ASTM standards for corrosion resistance
- Meets or exceeds all applicable fall-arrest systems standards including OSHA, ANSI and the stringent ANSI Z359








Harness not included

400SC-FR - WELDING SERIES ACCESSORIES

- Retrofit flame resistant shoulder and chest strap covers
- Will fit most harnesses and are wide enough to cover shoulder pads (harness not included)

| ITEM CODE: | PRICE: |
|--------------|---------|
| US1-400SC-FR | \$62.20 |



480AK - WELDING SERIES ACCESSORIES

480A with heat resistant Kevlar® Shock Absorber.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-480AK | \$173.90 |



490AK - WELDING SERIES ACCESSORIES

490A with heat resistant Kevlar® webbing.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-490AK | \$166.00 |




US SAFETY EQUIPMENT

347AS-135A - UTILITY INDUSTRY SERIES ACCESSORIES

- 6' dual leg (100% tie-off), elastic shock absorbing web lanyard with pack
- Web loop on shock pack end to choke to attachment point on harness
- #135A aluminum snaps (2-1/2" opening) other ends.

| ITEM CODE: | PRICE: |
|----------------|----------|
| US1-347AS-135A | \$226.40 |



355AZ - UTILITY INDUSTRY SERIES ACCESSORIES

355A Lanyard with a "Z SERIES" compatible snap hook.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-355AZ | \$96.45 |



630UT FULL BODY HARNESS - UTILITY INDUSTRY SERIES

- Full body Harness, no metal above the waist
- 4-Point adjustment system
- EZ-Slide back web loop provides easy, safe connection with no metal for zero conductivity, yet keeps fallen worker vertical after any fall
- Pass-through leg and waist buckles with insulators
- Hardware plated to ASTM standards for corrosion resistance
- Meets or exceeds all applicable fall-arrest systems standards including OSHA, ANSI and the stringent ANSI Z359

| ITEM CODE: | PRICE: | SIZE: |
|--------------|----------|------------|
| US1-630UT-S | \$147.55 | S (32-40) |
| US1-630UT-M | \$147.55 | M (36-44) |
| US1-630UT-L | \$147.55 | L (40-48) |
| US1-630UT-XL | \$154.95 | XL (44-52) |





631KUT FULL BODY HARNESS - UTILITY INDUSTRY SERIES

- Arc Flash Harness
- Made of heat and flame resistant Kevlar® webbing
- Featuring a die electric sliding back D-ring
- Flame resistant buckle covers
- Perfect-fit chest strap with easy to use pass-thru buckle, sewn in place to prevent user maladjustment
- Additional back safety straps provide security from dorsal ejection
- Hardware plated to ASTM standards for corrosion resistance
- Meets or exceeds all applicable fall-arrest systems standards including OSHA, ANSI and the stringent ANSI Z359

| ITEM CODE: | PRICE: | SIZE: |
|---------------|----------|------------|
| US1-631KUT-S | \$394.45 | S (32-40) |
| US1-631KUT-M | \$395.45 | M (36-44) |
| US1-631KUT-L | \$395.45 | L (40-48) |
| US1-631KUT-XL | \$415.25 | XL (44-52) |





4151 - WORK SEAT SERIES

- 21" x 16" plywood deluxe work seat
- Backing and cushioning made from "SuperNit" padding system providing rigid, wear-resistant properties while still soft to the touch. Military spec moisture-management system built-in with custom anti-microbial coating to prevent mildew. Outside shell made of 1300 denier construction to withstand maximum abuse.
- Built-in harness with spreader bar and yoke and top D-ring for suspension
- Side D-rings for positioning
- Additional waist strap for added security
- Convenient, easy reach tool pouch on right side
- Hardware plated to ASTM standards for corrosion resistance
- Meets or exceeds all applicable fall-arrest systems standards including OSHA, ANSI and the stringent ANSI Z359

| ITEM CODE: | PRICE: | SIZE: |
|-------------|----------|------------|
| US1-4151-XS | \$500.00 | XS (28-36) |
| US1-4151-S | \$500.00 | S (32-40) |
| US1-4151-M | \$500.00 | M (36-44) |
| US1-4151-L | \$500.00 | L (40-48) |
| US1-4151-XL | \$500.00 | XL (44-52) |
| US1-4151-U | \$500.00 | UNIVERSAL |

4153 - WORK SEAT SERIES

- 21" x 16" plywood deluxe work seat
- Backing and cushioning made from "SuperNit" padding system providing rigid, wear-resistant properties while still soft to the touch. Military spec moisture-management system built-in with custom anti-microbial coating to prevent mildew. Outside shell made of 1300 denier construction to with stand maximum abuse.
- Waist strap with pass thru buckle for added security
- 3 point suspension connection: left, right, and front center
- Can easily and must be used in conjunction with ANY full body harness
- Hardware plated to ASTM standards for corrosion resistance

| ITEM CODE: | PRICE: | SIZE: |
|-------------|----------|------------|
| US1-4153-XS | \$295.00 | XS (28-36) |
| US1-4153-S | \$295.00 | S (32-40) |
| US1-4153-M | \$295.00 | M (36-44) |
| US1-4153-L | \$295.00 | L (40-48) |
| US1-4153-XL | \$295.00 | XL (44-52) |
| US1-4153-U | \$295.00 | UNIVERSAL |





4154 - WORK SEAT SERIES

- 12" x 24" plywood work seat
- Built in harness with spreader bar and yoke
- Additional waist strap for added security
- Hardware plated to ASTM standards for corrosion resistance
- Meets or exceeds all applicable fall-arrest systems standards including OSHA, ANSI and the stringent ANSI Z359

| ITEM CODE: | PRICE: | SIZE: |
|-------------|----------|------------|
| US1-4154-XS | \$328.50 | XS (28-36) |
| US1-4154-S | \$328.50 | S (32-40) |
| US1-4154-M | \$328.50 | M (36-44) |
| US1-4154-L | \$328.50 | L (40-48) |
| US1-4154-XL | \$328.50 | XL (44-52) |
| US1-4154-U | \$328.50 | UNIVERSAL |

4754 - WORK SEAT SERIES

- 12" x 24" plywood work seat
- Built in harness with tongue buckle leg straps and removable waist belt

| ITEM CODE: | PRICE: | SIZE: |
|-------------|----------|------------|
| US1-4754-XS | \$298.40 | W |
| US1-4754-S | \$298.40 | S (32-40) |
| US1-4754-M | \$298.40 | M (36-44) |
| US1-4754-L | \$298.40 | L (40-48) |
| US1-4754-XL | \$298.40 | XL (44-52) |
| US1-4754-U | \$298.40 | UNIVERSAL |
| | | |

SHOCK ABSORBING LANYARDS



450A SHOCK ABSORBING WEB LANYARD \star

6' in length, 1" webbing with shock absorption pack, #74N locking snaps at each end, fully ANSI and OSHA compliant

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-450A | \$90.05 | 6' |






457A-135A SHOCK ABSORBING WEB LANYARD

6' in length, 1" webbing with shock absorption pack, #74N locking snap on one end, #135A aluminum snap (2-1/2" opening) on the other end.


| ITEM CODE: | PRICE: | SIZE: |
|---------------|----------|-------|
| US1-457A-135A | \$135.25 | 6' |



452AN

6' shock absorbing web lanyard with pack, #74N locking snap one end, #69N snap (1-3/4" opening) other end.


| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-452AN | \$111.20 | 6' |



454A

6' shock absorbing web lanyard with pack, #74N locking snap one end, #136 snap (2-1/4" opening) other end. 1" synthetic webbing with pack-style shock pack. Other lengths available.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-454A | \$117.60 | 6' |



457A-135A

6' shock absorbing web lanyard with pack, #74N locking snap one end, #135 snap (2-1/2" opening) other end.

| ITEM CODE: | PRICE: | SIZE: |
|---------------|----------|-------|
| US1-457A-135A | \$124.40 | 6' |



490A HEAVY DUTY SHOCK ABSORBING LANYARD *

1-3/4" heavy duty webbing, 6' in length. Fully ANSI and OSHA compliant. Shock absorption pack. 74N steel snap hooks on each end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-490A | \$65.15 | 6' |



490AK

6' shock absorbing heat resistant Kevlar® lanyard with Kevlar® pack, #74N locking snaps each end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-490AK | \$166.00 | 6' |

WEB PACK-STYLE SHOCK ABSORBING LANYARDS NOT PICTURED

| ITEM CODE: | DESCRIPTION: | PRICE: |
|------------|---|----------|
| US1-355A | 6' shock absorbing web lanyard w/pack, #74N locking snap at one end, and a loop on the shock pack end to choke to attachment point on harness | \$83.60 |
| US1-450AD | 6' shock absorbing web lanyard w/pack, #74N locking snaps at each end, and an adjustable D-ring. | \$104.30 |
| US1-452A | 6' shock absorbing web lanyard w/pack, #74N locking snap one end, #69 snap (1-3/4" opening) other end. | \$111.20 |

ADJUSTABLE WEB PACK-STYLE SHOCK ABSORBING LANYARDS



450AB

6' adjustable length shock absorbing web lanyard with pack, #74N locking snaps at each end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-450AB | \$102.80 | 6' |



452AB

6' adjustable length shock absorbing web lanyard with pack, #69 snap (1-3/4" opening) other end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-452AB | \$123.95 | 6' |



452ABN

6' adjustable length shock absorbing web lanyard with pack, #69N snap (1-3/4" opening) other end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-452ABN | \$123.95 | 6' |



454AB

6' adjustable length shock absorbing web lanyard with pack, with #74N locking snap one end, #136 snap (2-1/4" opening) other end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-454AB | \$130.30 | 6' |



457AB-135A

6' adjustable length shock absorbing web lanyard with pack, with #74N locking snap one end, #135 snap (2-1/2" opening) other end.

| ITEM CODE: | PRICE: | SIZE: |
|----------------|----------|-------|
| US1-457AB-135A | \$148.00 | 6' |

ELASTIC PACK-STYLE SHOCK ABSORBING LANYARDS



450AS ★

6' in length, 1-3/16" webbing dual leg lanyard with #74N locking steel snap hooks on each end. Shock absorption pack. Fully ANSI and OSHA compliant.

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-450AS | \$91.75 | 6' |



457AS-135A

6' elastic shock absorbing web lanyard with pack, #74N locking snap one end, #135A aluminum snap (2-1/2" opening) other end.

| ITEM CODE: | PRICE: | SIZE: |
|----------------|----------|-------|
| US1-457AS-135A | \$136.85 | 6' |

452AS

6' elastic shock absorbing web lanyard with pack, #74N locking snap one end, #69 snap (1-3/4" opening) other end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-452AS | \$112.85 | 6' |



452ASN

6' elastic shock absorbing web lanyard with pack, #74N locking snap one end, #69N snap (1-3/4" opening) other end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-452ASN | \$112.85 | 6' |



454AS

6' elastic shock absorbing web lanyard with pack, #74N locking snap one end, #136 snap (2-1/4" opening) other end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-454AS | \$119.20 | 6' |



457AS-135A

6' elastic shock absorbing web lanyard with #74N locking snap one end, #135 snap (2-1/2" opening) other end.

| ITEM CODE: | PRICE: | SIZE: |
|----------------|----------|-------|
| US1-457AS-135A | \$136.85 | 6' |

ROPE PACK-STYLE SHOCK ABSORBING LANYARDS



400A

 6^\prime x 1/2" shock absorbing rope lanyard with pack, #74N locking snaps at each end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-400A | \$98.60 | 6' |



404A

6' x 1/2" shock absorbing rope lanyard with pack, #74N locking snap one end, #136 snap (2-1/4" opening) other end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-404A | \$126.10 | 6' |

| ROPE PACK-STYLE SHOCK ABSORBING LANYARDS NOT PICTURED | | |
|---|--|----------|
| ITEM CODE: | DESCRIPTION: | PRICE: |
| US1-400AB | 6' x 1/2" adjustable length shock absorbing rope lanyard w/pack, #74N locking snaps at each end. | \$102.40 |
| US1-402A | 6' x 1/2" shock absorbing rope lanyard w/pack, #74N locking snap one end, #69 snap (1-3/4" opening) other end. | \$119.70 |

WIRE ROPE PACK-STYLE SHOCK ABSORBING LANYARDS



470A

6' shock absorbing vinyl coated wire rope lanyard with pack, #74N locking snaps at each end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-470A | \$87.40 | 6' |



474A

6' shock absorbing vinyl coated wire rope lanyard with pack, #74N locking snap one end, #136 snap (2-1/4" opening) other end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-474A | \$114.90 | 6' |

| | WIRE ROPE PACK-STYLE SHOCK ABSORBING LANYARDS NOT PICTURED | | |
|------------|--|----------|--|
| ITEM CODE: | DESCRIPTION: | PRICE: | |
| US1-470AK | 6' shock absorbing wire rope lanyard with heat resistant Kevlar® pack, #74N locking snaps at each end. | \$137.85 | |
| US1-472A | 6' #74N locking snap one end, #69 snap (1-3/4" opening) other end. | \$108.55 | |

1-800-331-2973 | NTGPRODUCTS@YAHOO.COM | ★ QUICK SHIP ITEMS 1-2 BUSINESS DAYS

TUBULAR SHOCK ABSORBING LANYARDS



460A ★

6' in length, 1" webbing with #74N locking snaps at each end. Fully ANSI and OSHA compliant.

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-460A | \$80.90 | 6' |



462AN

6', 1-3/16" tubular shock absorbing web lanyard with #74N locking snap one end, #69N snap (1-3/4" opening) other end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-462AN | \$102.00 | 6' |



464A

6', 1-3/16" tubular shock absorbing web lanyard with #74N locking snap one end, #136 snap (2-1/4" opening) other end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-464A | \$108.40 | 6' |



467A-135A

6', 1-3/16" tubular shock absorbing web lanyard with #74N locking snap one end, #135A aluminum snap (2-1/2" opening) other end.

| ITEM CODE: | PRICE: | SIZE: |
|---------------|----------|-------|
| US1-467A-135A | \$126.00 | 6' |

| TUBULAR SHOCK ABSORBING LANYARDS NOT PICTURED | | | |
|---|---|----------|--|
| ITEM CODE: | DESCRIPTION: | PRICE: | |
| US1-462A | 6' tubular shock absorbing web lanyard with #74N locking snap one end, #69 snap (1-3/4" opening) other end. | \$102.05 | |
| US1-461A-TE | 6' web lanyard with #74N locking snap one end, twisted eye (for choking to attachment point on harness) other end. | \$77.90 | |
| US1-462A-TE | 6' web lanyard with #69N snap (1-3/4" opening) one end, twisted eye (for choking to attachment point on harness) other end. | \$99.00 | |
| US1-464A-TE | 6' web lanyard with #136 snap (2-1/4" opening) one end, twisted eye (for choking to attachment point on harness) other end. | \$105.40 | |

ELASTIC TUBULAR SHOCK ABSORBING LANYARDS



460AS

6' elastic tubular shock absorbing web lanyard with #74N locking snaps at each end. 2" tubular synthetic webbing with internal shock absorbing core.

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-460AS | \$92.65 | 6' |



462AS

6' elastic tubular shock absorbing web lanyard with #74N locking snap one end, #69 snap (1-3/4" opening) other end. 2" tubular synthetic webbing with internal shock absorbing core.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-462AS | \$113.75 | 6' |



462ASN

6' elastic tubular shock absorbing web lanyard with #74N locking snap one end, #69N snap (1-3/4" opening) other end. 2" tubular synthetic webbing with internal shock absorbing core.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-462ANS | \$113.75 | 6' |



464AS

6' elastic tubular shock absorbing web lanyard with #74N locking snap one end, #136 snap (2-1/4" opening) other end. 2" tubular synthetic webbing with internal shock absorbing core.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-464AS | \$120.15 | 6' |



467AS-135A


6' elastic tubular shock absorbing web lanyard with #74N locking snap one end, #135 snap (2-1/2" opening) other end. 2" tubular synthetic webbing with internal shock absorbing core.

| ITEM CODE: | PRICE: | SIZE: |
|----------------|----------|-------|
| US1-467AS-135A | \$137.80 | 6' |

TIE-BACK, LANYARD, AND ANCHOR ALL IN ONE 'LANCHOR' LANYARDS

Constructed of double layered webbing to meet extreme specifications, the 'Lanchor Series' lanyards are designed to tie back onto themselves, providing an extremely accommodating and adaptable means of anchoring - when other equipment or options may not be available. The "double-tuff" synthetic webbing is constructed with contrasting colors which acts as a wear indicator. If your lanchor ever becomes worn to the point that you can see the inside webbing (as shown), remove it from service immediately. The super-strong Lanchor snap hook (5K, 3.6K Gate) meets the ANSI Z359.1-2007 standard.

1-3/8" tubular synthetic webbing with shock pack and internal wear indicating core. Standard length: 6'.



456AW

6' "double-tuff" shock absorbing lanchor web lanyard with pack, #74N locking snap one end, #63 (5K with 3.6K gate) auto-locking snap other end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-456AW | \$109.60 | 6' |

| C | |
|---|--|
| (| |
| | |
| C | |
| C | |

446AW ★

6' in length, 1" webbing dual leg lanyard with #74N locking steel snap hooks on each end. Shock absorption pack. Fully ANSI and OSHA compliant.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-446AW | \$175.00 | 6' |

| | ' LANCHOR' LANYARDS NOT PICTURED | |
|---------------|---|----------|
| ITEM CODE: | DESCRIPTION: | PRICE: |
| US1-456AW-EXT | Lanchor lanyard featuring an added D-ring for applications that call for an additional connection or SRL connection, while the lanyard remains attached to the back D-ring. | \$125.00 |

DUAL LEG WEB PACK-STYLE SHOCK ABSORBING LANYARDS



440A ★

6' in length, 1" webbing dual leg (100% tie-off) lanyard with #74N locking snaps on every end. Shock absorption pack. Fully ANSI and OSHA compliant.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-440A | \$134.80 | 6' |

442A

6' dual leg (100% tie-off), shock absorbing web lanyard with pack, #74N locking snap one end, #69 snap (1-3/4" opening) other two ends.

| ITEM CODE: | PRICE: | SIZE: | |
|------------|----------|-------|--|
| US1-442A | \$163.15 | 6' | |

442AN

6' dual leg (100% tie-off), shock absorbing web lanyard with pack, #74N locking snap one end, #69N snap (1-3/4" opening) other two ends.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-442AN | \$163.15 | 6' |



444A ★

6' in length, 1" webbing dual leg lanyard with #74N locking steel snap hooks on pack end and #136 (2-1/2" opening) locking steel rebar snap on leg ends. Shock absorption pack. Fully ANSI and OSHA compliant.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-444A | \$175.90 | 6' |



447A-135A

6' dual leg (100% tie-off), shock absorbing web lanyard with pack, #74N locking snap one end, #135A aluminum snap (2-1/2" opening) other ends.

| ITEM CODE: | PRICE: | SIZE: |
|---------------|----------|-------|
| US1-447A-135A | \$211.20 | 6' |



US SAFETY EQUIPMENT

30

490A-DL

6' dual leg (100% tie-off), 1-3/4" shock absorbing web lanyard with pack, #74N locking snaps on every end.

| ITEM CODE: | PRICE: | SIZE: |
|-------------|----------|-------|
| US1-490A-DL | \$100.45 | 6' |

| DUAL LEG WEB PACK-STYLE SHOCK ABSORBING LANYARDS NOT PICTURED | | |
|---|---|----------|
| ITEM CODE: | DESCRIPTION: | PRICE: |
| US1-440ADD | 6' dual leg (100% tie-off), shock absorbing web lanyard w/pack, #74N locking snaps on every end, sliding D-rings on each leg. | \$149.35 |

ADJUSTABLE DUAL LEG WEB PACK-STYLE SHOCK ABSORBING LANYARDS, 100% TIE-OFF



440AB

6' dual leg (100% tie-off), adjustable shock absorbing 1" web lanyard with pack, #74N locking snaps on every end. Adjust down to approximately half.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-440AB | \$146.40 | 6' |



442ABN

6' dual leg (100% tie-off), adjustable shock absorbing web lanyard with pack, #74N locking snap one end, #69N snap (1-3/4" opening) other two ends.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-442ABN | \$188.65 | 6' |

C'En America

444AB

6' dual leg (100% tie-off) adjustable shock absorbing web lanyard with #74N locking snap one end, #136 snap (2-1/4" opening) other two ends.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-444AB | \$201.40 | 6' |

| ADJUSTABLE DUAL LEG WEB PACK-STYLE SHOCK ABSORBING LANYARDS NOT PICTURED | | |
|--|---|----------|
| ITEM CODE: | DESCRIPTION: | PRICE: |
| US1-442AB | 6' dual leg (100% tie-off), adjustable shock absorbing web lanyard w/pack, #74N locking snap one end, #69 snap (1-3/4" opening) other two ends. | \$188.65 |
| US1-447AB-135A | 6' dual leg (100% tie-off) adjustable shock absorbing web lanyard with #74N locking snap one end, #135 snap (2-1/2" opening) other two ends. | \$236.70 |

DUAL LEG ELASTIC PACK-STYLE SHOCK ABSORBING LANYARDS, 100% TIE-OFF



440AS ★

6' in length, 1-3/16" webbing dual leg (100% tie-off) lanyard with #74N locking steel snap hooks on every end. Shock absorption pack. Fully ANSI and OSHA compliant.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-440AS | \$138.95 | 6' |



447AS-135A

6' dual leg (100% tie-off), elastic shock absorbing web lanyard with pack, #74N locking snap one end, #135A aluminum snap (2-1/2" opening) other two

| ITEM CODE: | PRICE: | SIZE: |
|----------------|----------|-------|
| US1-447AS-135A | \$229.30 | 6' |

442AS

6' dual leg (100% tie-off), elastic shock absorbing web lanyard with pack, #74N locking snap one end, #69 snap (1-3/4" opening) other two ends.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-442AS | \$181.25 | 6' |

442ASN

6' dual leg (100% tie-off), elastic shock absorbing web lanyard with pack, #74N locking snap one end, #69N snap (1-3/4" opening) other two ends.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-442ASN | \$181.25 | 6' |

444AS ★

6' in length, 1-3/16" webbing dual leg lanyard with #74N locking steel snap hook on harness end and #136 (2-1/2" opening) locking steel rebar snap hooks on leg ends. Shock absorption pack. Fully ANSI and OSHA compliant.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-444AS | \$193.95 | 6' |

DUAL LEG ROPE & WIRE PACK-STYLE SHOCK ABSORBING LANYARDS, 100% TIE-OFF



430A - ROPE

6' x 1/2" dual leg (100% tie-off), shock absorbing rope lanyard with pack, #74N locking snaps on every end. 1-3/16" synthetic webbing.


| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-430A | \$149.80 | 6' |





6' dual leg (100% tie-off), shock absorbing vinyl coated wire rope lanyard with pack, #74N locking snaps on every end. 1-3/16" synthetic webbing.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-480A | \$118.70 | 6' |



482AN - WIRE ROPE

6' dual leg (100% tie-off), shock absorbing vinyl coated wire rope lanyard with pack, #74N locking snap one end, #69N snap (1-3/4" opening) other ends. 1-3/16" synthetic webbing.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-482AN | \$160.95 | 6' |



484A - WIRE ROPE

6' dual leg (100% tie-off), shock absorbing vinyl coated wire rope lanyard withpack, #74N locking snap one end, #136 snap (2-1/4" opening) other ends. 1-3/16" synthetic webbing.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-484A | \$173.70 | 6' |

| | DUAL LEG ROPE & WIRE PACK-STYLE SHOCK ABSORBING LANYARDS NOT PICTURED | | |
|------------|---|----------|--|
| ITEM CODE: | DESCRIPTION: | PRICE: | |
| US1-432AN | 6' x 1/2" dual leg (100% tie-off), shock absorbing rope lanyard w/pack, #74N locking snap one end, #69N snap (1-3/4" opening) other two ends. | \$192.10 | |
| US1-434A | 6' x 1/2" dual leg (100% tie-off), shock absorbing rope lanyard w/pack, #74N locking snap one end, #136 snap (2-1/4" opening) other two ends. | \$204.80 | |

DUAL LEG TUBULAR SHOCK ABSORBING LANYARDS, 100% TIE-OFF



420A

6' dual leg (100% tie-off), tubular shock absorbing web lanyard with #74N locking snaps on every end. 1-3/16" tubular synthetic webbing.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-420A | \$121.60 | 6' |



424A

6' dual leg (100% tie-off), tubular shock absorbing web lanyard with #74N locking snap one end, #136 snap (2-1/4" opening) other ends. 1-3/16" tubular synthetic webbing.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-424A | \$176.60 | 6' |

| DUAL LEG TUBULAR SHOCK ABSORBING LANYARDS NOT PICTURED | | |
|--|--|----------|
| ITEM CODE: | DESCRIPTION: | PRICE: |
| US1-422A | 6' dual leg (100% tie-off), tubular shock absorbing web lanyard with #74N locking snap one end, #69 snap (1-3/4" opening) other two ends. | \$163.85 |
| US1-422AN | 6' dual leg (100% tie-off), tubular shock absorbing web lanyard with #74N locking snap one end, #69N snap (1-3/4" opening) other two ends. | \$163.85 |

DUAL LEG ELASTIC TUBULAR SHOCK ABSORBING LANYARDS, 100% TIE-OFF



420AS

6' dual leg (100% tie-off), elastic tubular shock absorbing web lanyard with #74N locking snaps on every end. 1-15/16" synthetic webbing.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-420AS | \$145.65 | 6' |

424AS-135A

6' dual leg (100% tie-off), elastic tubular shock absorbing web lanyard with #74N locking snap on one end, #135A aluminum snap (2-1/2" opening) other end. 1-15/16" synthetic webbing.

| ITEM CODE: | PRICE: | SIZE: |
|----------------|----------|-------|
| US1-424AS-135A | \$235.95 | 6' |

1-800-331-2973 | NTGPRODUCTS@YAHOO.COM | ★ QUICK SHIP ITEMS 1-2 BUSINESS DAYS



424AS

6' dual leg (100% tie-off), elastic tubular shock absorbing web lanyard with #74N locking snap one end, #136 snap (2-1/4" opening) other two ends. 1-15/16" synthetic webbing.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-424AS | \$200.65 | 6' |



424AS-EXT

424AS lanyard featuring an added D-ring for applications that call for an additional connection or SRL connection, while the lanyard remains attached to the back D-ring. 1-15/16" synthetic webbing.

| ITEM CODE: | PRICE: | SIZE: |
|---------------|----------|-------|
| US1-424AS-EXT | \$215.60 | 6' |

| DUAL LEG ELASTIC TUBULAR SHOCK ABSORBING LANYARDS NOT PICTURED | | |
|--|--|----------|
| ITEM CODE: | DESCRIPTION: | PRICE: |
| US1-422AS | 6' dual leg (100% tie-off), elastic tubular shock absorbing web lanyard with #74N locking snap one end, #69 snap (1-3/4" opening) other two ends. | \$187.90 |
| US1-422ASN | 6' dual leg (100% tie-off), elastic tubular shock absorbing web lanyard with #74N locking snap one end, #69N snap (1-3/4" opening) other two ends. | \$187.90 |

ROPE, WIRE ROPE, & WEB RESTRAINT NON-SHOCK ABSORBING LANYARDS



400

6' x 1/2" rope lanyard with #74N locking snaps at each end. Non-shock absorbing (positioning only).

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-400 | \$62.29 | 6' |



404

6' x 1/2" rope lanyard with #74N locking snap one end, #136 snap (2-1/4" opening) other end. Non-shock absorbing (positioning only).

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-404 | \$95.25 | 6' |



450

6' web lanyard with #74N locking snaps at each end. Non-shock absorbing (positioning only). 1" synthetic webbing.

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-450 | \$61.65 | 6' |

450B

6' adjustable length web lanyard with #74N locking snaps at each end. Nonshock absorbing (positioning only). 1" synthetic webbing.

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-450B | \$74.40 | 6' |



452

6' web lanyard with #74N locking snap one end, #69 snap (1-3/4" opening) other end. Non-shock absorbing (positioning only). 1" synthetic webbing.

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-452 | \$82.80 | 6' |



470

6' vinyl coated wire rope lanyard with #74N locking snaps at each end. Nonshock absorbing (positioning only).

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-470 | \$46.95 | 6' |

| NON-SHOCK ABSORBING LANYARDS NOT PICTURED | | | |
|---|---|---------|--|
| ITEM CODE: | ITEM CODE: DESCRIPTION: PRICE | | |
| US1-402 | 6' x 1/2" rope lanyard with #74N locking snap one end, #69 snap (1-3/4" opening) other end. | \$88.85 | |

THE U-RES-Q

The U-RES-Q immediately releases a 16' synthetic rescue ladder from the light weight pouch when a worker falls. This allows the fallen individual to climb back to their platform or remain in an upright or standing position, which prevents suspension trauma





6' shock absorbing web lanyard with pack, #74N locking snaps at each end, U-RES-Q built in.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-R450A | \$182.63 | 6' |



R444A

6' dual leg (100% tie-off) shock absorbing web lanyard with #74N locking snap one end, #136 snaps (2-1/2" opening), and U-RES-Q pouches (2 total) other two ends.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-R444A | \$361.05 | 6' |



R460A

6' tubular shock absorbing web lanyard with #74N locking snaps at each end, U-RES-Q built in.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-R460A | \$173.50 | 6' |



R490A

6' in length, 1-3/4" heavy duty webbing lanyard with #74N locking steel snap hooks on each end. Shock absorption pack. Built in rescue ladder. Fully ANSI and OSHA compliant.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-R490A | \$157.75 | 6' |

R-RETRO

U-RES-Q Proneil Creek Production

U-RES-Q pouch with #74 locking snap one end, D-ring other end, for use in line with lanyard and anchor.

| ITEM CODE: | PRICE: | SIZE: |
|-------------|----------|-------|
| US1-R-RETRO | \$107.40 | 6' |



★ QUICK SHIP ITEMS 1-2 BUSINESS DAYS | 1-800-331-2973 | NTGPRODUCTS@YAHOO.COM

REBAR ASSEMBLIES POSITIONING & RESTRAINT SYSTEMS

These positioning and restraint lanyards are used in situations to limit free fall distances to 2' or less. They quickly connect directly to rebar and other construction forms and structures.



322-WS

Web positioning assembly, #69 (1-3/4" opening) snap, swivel, and two #74N locking snaps.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-322-WS | \$142.50 |

324-C ★

Chain positioning assembly with 12 links. #136 (2-1/4" opening) snap, no swivel, and two #74N locking snaps.

| ITEM CO | DDE: | PRICE: |
|---------|------|----------|
| US1-32 | 4-C | \$102.50 |

324-CS ★

Chain positioning assembly with 12 links. #136 (2-1/4" opening) snap on swivel, and two #74N locking snaps.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-324-CS | \$112.25 |



324-W

Web positioning assembly, #136 (2-1/4" opening) snap, no swivel, and two #74N locking snaps.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-324-W | \$139.15 |



324-WS

Web positioning assembly, #136 (2-1/4" opening) snap, swivel, and two #74N locking snaps.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-324-WS | \$148.90 |

1-800-331-2973 | NTGPRODUCTS@YAHOO.COM | ★ QUICK SHIP ITEMS 1-2 BUSINESS DAYS

SELF-RETRACTING LIFELINES

SELF-RETRACTING LIFELINES RENEGADE SERIES

Renegade series American-made SRL's provide the durability and confidence expected by professionals. With 13 ft. of working capacity and quick fall-arrest capability measured in inches, the Renegade will never let you down.

Durability

- Corrosion resistant housing made of aluminum and stainless steel, including a stainless steel top swivel
- A variety of 5,000 pound connectors available, reducing the cost of ownership and allowing for customization
- Capacity of 400 pounds

Safety Performance

- No annual factory recertification required
- Double-inertia, high-strength stainless steel braking system arrests free falls within inches
- Visual impact indicator warns that the unit has experienced fall-arrest forces and must be removed from service
- Compact energy absorber minimizes fall-arrest forces
- Used in commercial & residential construction, manufacturing, refinery maintenance, utilities, and other industries



RG0-13-0 RG0Z-13-0Z RG4-13-0 RG4Z-13-0Z RG3-13-0 RG8-13-0 RG1-13-0

| ITEM CODE: | PRICE: | HOUSING/SWIVEL CONNECTOR: | LIFELINE CONNECTOR: |
|----------------|----------|---------------------------------------|---------------------------------------|
| US1-RG1-13-0 | \$297.30 | Swivel Only | #74N 3/4" steel locking snap |
| US1-RG3-13-0 | \$312.05 | #354-4 1" opening, steel carabiner | #74N 3/4" steel locking snap |
| US1-RG0-13-0 | \$306.45 | #74N 3/4" steel locking snap | #74N 3/4" steel locking snap |
| US1-RG4-13-0 | \$327.80 | #136 2-1/4" steel locking rebar snap | #74N 3/4" steel locking snap |
| US1-RG8-13-0 | \$335.00 | #62 2" Steel locking carabiner | #74N 3/4" steel locking snap |
| US1-RG3-13-0S | \$340.00 | #354-4 1" opening, steel carabiner | #49 3/4" steel swivel locking snap |
| US1-RG0-13-4 | \$327.80 | #74N 3/4" steel locking snap | #136 2-1/4" steel locking rebar snap |
| US1-RG3-13-0Z | \$302.50 | #354-4 1" opening, steel carabiner | #Z74 3/4" steel locking snap |
| US1-RGOZ-13-OZ | \$301.00 | #Z74 3/4" steel locking snap | #Z74 3/4" steel locking snap |
| US1-RG4Z-13-0Z | \$322.85 | #Z136 2-1/4" steel locking rebar snap | #Z74 3/4" steel locking snap |
| US1-RG8-13-0Z | \$324.50 | #62 2" Steel locking carabiner | #Z74 3/4" steel locking snap |
| US1-RGOZ-13-4Z | \$322.85 | #Z74 3/4" steel locking snap | #Z136 2-1/4" steel locking rebar snap |

39

SELF-RETRACTING LIFELINES ROGUE SERIES

Swivel anchor loop limits twisting, impact indicator tears away for visual inspection, short fall arrest activation, web shock-pack tear away to reduce fall forces, 400 lb. weight capacity, numerous options available.

- High-strength, light weight, corrosion resistant housing including a stainless steel top swivel
- High-strength wear resistant webbing allows for 8 feet of capacity
- Single or dual-leg connection, meets or exceeds OSHA & ANSI industry standards
- Double-inertia, high-strength stainless steel braking system arrests free falls within inches
- Visual impact indicator warns that the unit has experienced fall-arrest forces and must be removed from service
- Compact energy absorber minimizes fall-arrest forces
- Used in commercial & residential construction, manufacturing, refinery maintenance, utilities, and other industries



| ROGUE SRL SINGLE-LEG MODEL SELECTIONS | | | |
|---------------------------------------|----------|---------------------------------------|--|
| ITEM CODE: | PRICE: | HOUSING/SWIVEL CONNECTOR: | LIFELINE CONNECTOR: |
| US1-MRG3-0Z | \$295.30 | #354-4 1" opening, steel carabiner | #Z74 3/4" steel locking snap |
| US1-MRG3-OSZ | \$328.15 | #354-4 1" opening, steel carabiner | #RL-28 3/4" steel swivel locking snap |
| US1-MRG3-4Z | \$319.15 | #354-4 1" opening, steel carabiner | #Z136 2-1/4" steel locking rebar snap |
| US1-MRGOZ-OZ | \$289.60 | #Z74 3/4" steel locking snap | #Z74 3/4" steel locking snap |
| US1-MRGOZ-4Z | \$313.40 | #Z74 3/4" steel locking snap | #Z136 2-1/4" steel locking rebar snap |
| US1-MRG3A-6A | \$352.55 | #354-2A 7/8" aluminum carabiner | #63A 3/4" aluminum captive-eye carabiner |
| US1-MRG3A-8A | \$404.75 | #354-2A 7/8" aluminum carabiner | #62A 2" aluminum locking carabiner |
| US1-MRG4Z-OSZ | \$346.30 | #Z136 2-1/4" steel locking rebar snap | #RL-28 3/4" steel swivel locking snap |
| US1-MRG1-0Z | \$275.70 | Swivel Anchor Loop Only | #Z74 3/4" steel locking snap |
| US1-MRG1-OSZ | \$308.55 | Swivel Anchor Loop Only | #RL-28 3/4" steel swivel locking snap |
| US1-MRG1-4Z | \$299.50 | Swivel Anchor Loop Only | #Z136 2-1/4" steel locking rebar snap |
| US1-MRGCM-OZ | \$507.25 | Cab Mount | #Z74 3/4" steel locking snap |
| US1-MRGCM-OSZ | \$540.10 | Cab Mount | #RL-28 3/4" steel swivel locking snap |

| ROGUE SRL DUAL-LEG MODEL SELECTIONS | | | | |
|-------------------------------------|----------|---|--|--|
| US1-M2RG-OZ | \$570.80 | #354-6TL 1/2" steel triple-lock carabiner | #Z74 3/4" steel locking snap | |
| US1-M2RG-OSZ | \$636.50 | #354-6TL 1/2" steel triple-lock carabiner | #RL-28 3/4" steel swivel locking snap | |
| US1-M2RG-4Z | \$618.45 | #354-6TL 1/2" steel triple-lock carabiner | #Z136 2-1/4" steel locking rebar snap | |
| US1-M2RG-6A | \$630.25 | #354-6TL 1/2" steel triple-lock carabiner | #63A 3/4" aluminum captive-eye carabiner | |
| US1-M2RG-8A | \$734.60 | #354-6TL 1/2" steel triple-lock carabiner | #62A 2" aluminum locking carabiner | |

1-800-331-2973 | NTGPRODUCTS@YAHOO.COM | ★ QUICK SHIP ITEMS 1-2 BUSINESS DAYS

SELF-RETRACTING LIFELINES



459 ★

8' in length, 1" webbing with carabiner. Zero slack eliminates tripping hazards. Centrifugal braking system.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-459 | \$234.00 | 8' |



RL25AGZ

Durable, lightweight, cast aluminum housing featuring a dual internal inertia braking system, external deceleration pack for ease of inspection, #354-2 carabiner for anchoring, and choice of lifeline material. 25' of galvanized wire rope, stainless steel wire rope, or Technora® synthetic rope.

| ITEM CODE: | PRICE: | SIZE: |
|---------------|----------|-------|
| US1-RL25AGZ ★ | \$671.45 | 25' |
| US1-RL25ASZ | \$729.00 | 25' |
| US1-RL25ATZ | \$729.00 | 25' |



RL30GZ

Super-strong cast aluminum housing featuring a dual internal inertia braking system, internal deceleration braking system, swivel impact indicating snap hook, #354-4 carabiner for anchoring, and choice of lifeline material. 30' of galvanized wire rope, stainless steel wire rope, or Technora® synthetic rope.

| ITEM CODE: | PRICE: | SIZE: |
|-------------|------------|-------|
| US1-RL30GZ | \$1,139.15 | 30' |
| US1-RL30SSZ | \$1,194.80 | 30' |
| US1-RL30TZ | \$1,194.80 | 30' |



RL50SSZ

Super-strong cast aluminum housing featuring a dual internal inertia braking system, internal deceleration braking system, swivel impact indicating snap hook, #354-4 carabiner for anchoring, and choice of lifeline material. 50' of galvanized wire rope, stainless steel wire rope, or Technora® synthetic rope.

| ITEM CODE: | PRICE: | SIZE: |
|--------------|------------|-------|
| US1-RL50GZ ★ | \$1,165.00 | 50' |
| US1-RL50SSZ | \$1,222.60 | 50' |
| US1-RL50TZ | \$1,222.60 | 50' |

RL100GZ



Super-strong cast aluminum housing featuring a dual internal inertia braking system, internal deceleration braking system, swivel impact indicating snap hook, #354-4 carabiner for anchoring, and choice of lifeline material. 100' of galvanized wire rope, stainless steel wire rope, or Technora® synthetic rope.

| ITEM CODE: | PRICE: | SIZE: |
|--------------|------------|-------|
| US1-RL100GZ | \$3,299.00 | 100' |
| US1-RL100SSZ | \$3,480.20 | 100' |
| US1-RL100TZ | \$3,480.50 | 100' |

| TECHNICAL SPECIFICATIONS | | | | |
|--------------------------|--------------|---------------|---------------|---------------|
| | 459 | RL25AGZ | RL30GZ | RL50GZ |
| Working Length, feet | 8' | 25' | 30' | 50' |
| Work load capacity, lbs. | 400 | 310 | 310 | 310 |
| Housing material | Synthetic | Cast aluminum | Cast aluminum | Cast aluminum |
| Housing size (w,h,d) | 4" x 3" x 4" | 7" x 8" x 4" | 9" x 14" x 5" | 9" x 14" x 5" |
| Total weight, Ibs. | 2.4 | 10.5 | 18 | 20 |
| Arrest force, Ibs. | 900 | 900 | 900 | 900 |

SNAP HOOKS & CARABINERS

274

Steel, twin 3/4" gate, locking spreader snap. Self-closing and auto-locking. Steel hardware is plated to meet all regulation requirements.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-274 | \$121.90 |



RL-28

Steel, swivel, 3/4" gate, locking snap with Impact Indicator. Self-closing and auto-locking. Meets ANSI Z359.1-2007 "Z-SERIES".

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-RL-28 | \$57.90 |



49

Steel, swivel, 3/4" gate, locking snap. Self-closing and auto-locking. Steel hardware is plated to meet all regulation requirements.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-49 | \$55.90 |



74N

Steel, 3/4" gate, locking snap. Self-closing and auto-locking. Steel hardware is plated to meet all regulation requirements.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-74N | \$11.00 |



Z74

Steel, 3.6K, 3/4" gate, locking snap. Self-closing and auto-locking. Meets ANSI Z359.1-2007 "Z-SERIES".

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-Z74 | \$15.65 |



69

Steel, 1-3/4" gate, locking rebar snap. Self-closing and auto-locking. Steel hardware is plated to meet all regulation requirements.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-69 | \$32.15 |



69N

Steel, 1-3/4" gate, locking rebar snap. Self-closing and auto-locking. Steel hardware is plated to meet all regulation requirements.


| ITEM CODE: | PRICE: |
|------------|---------|
| US1-69N | \$32.15 |



136

Steel, 2-1/4" gate, locking rebar snap. Fits many concrete forms! Steel hardware is plated to meet all regulation requirements.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-136 | \$38.50 |



Z-136

Steel, 3.6K, 2-1/4" gate, locking rebar snap. Meets ANSI Z359.1-2007 "Z-SERIES".

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-Z136 | \$42.85 |



62

Steel, 2" gate, twist lock scaffold hook. Steel hardware is plated to meet all regulation requirements.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-62 | \$44.60 |



62R

Steel, 3.6K, 2" gate, twist lock scaffold hook. Meets ANSI Z359.1-2007 "Z-SERIES".

| | ITEM CODE: | PRICE: |
|---|------------|---------|
| [| US1-62R | \$47.80 |



63

Steel, 3.6K, 3/4" gate, twist lock snap, 5K gate capacity. Meets ANSI Z359.1-2007 "Z-SERIES". Lanchor Snap.

| ITE | M CODE: | PRICE: |
|-----|---------|---------|
| US | 1-63 | \$31.85 |



354-1

Steel, 1/2" gate, twist lock carabiner. Steel hardware is plated to meet all regulation requirements.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-354-1 | \$19.70 |



354-2Z

Steel, 3.6K, 1" gate, twist lock carabiner. Meets ANSI Z359.1-2007 "Z-SERIES".

| ITEM CODE: | PRICE: | |
|------------|---------|--|
| US1-354-2Z | \$35.60 | |



354-4

Steel, 1" gate, twist lock carabiner, available in Stainless Steel (part #354-4SS) Meets ANSI Z359.1-2007 "Z-SERIES".

| ITEM CO |)DE: | PRICE: | |
|---------|------|---------|--|
| US1-35 | 4-4 | \$22.00 | |



354-5

Steel, 3/4" gate, twist lock carabiner. Steel hardware is plated to meet all regulation requirements.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-354-5 | \$28.40 |



175

Aluminum, 1" gate, locking snap.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-175 | \$74.70 |



354-2A

Aluminum, 7/8" gate, twist lock carabiner.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-354-2A | \$54.70 |



135A

Aluminum, 2-1/2" gate, locking rebar snap.

| | ITEM CODE: | PRICE: |
|---|------------|---------|
| [| US1-135A | \$56.20 |

62A

Aluminum, 2" gate, twist lock scaffold hook.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-62A | \$107.70 |

LIFELINES



410

5/8" 3-strand polyblend synthetic lifeline with #74N locking snaps at each end. Limited stretch.

| ITEM CODE: | PRICE: | SIZE: |
|---------------|----------|-------|
| US1-410-25 ★ | \$82.80 | 25' |
| US1-410-50 ★ | \$106.65 | 50' |
| US1-410-75 | \$130.30 | 75' |
| US1-410-100 ★ | \$154.05 | 100' |
| US1-410-150 | \$201.55 | 150' |
| US1-410-200 | \$229.13 | 200' |



411

5/8" 3-strand polyblend synthetic lifeline with #74N locking snaps at one end, thimble other end. Limited stretch.

| ITEM CODE: | PRICE: | SIZE: |
|---------------|----------|-------|
| US1-411-25 ★ | \$73.30 | 25' |
| US1-411-50 ★ | \$97.05 | 50' |
| US1-411-75 | \$120.80 | 75' |
| US1-411-100 ★ | \$144.55 | 100' |
| US1-411-200 | \$220.39 | 200' |

121-1T

5/8" 3-strand polyblend synthetic lifeline with thimble on one end. When ordering, final product #'s are designated by length: 25', 50', 75', 100', 200', etc. Limited stretch.

| ITEM CODE: | PRICE: | SIZE: |
|----------------|----------|-------|
| US1-121-1T-25 | \$57.30 | 25' |
| US1-121-1T-50 | \$81.05 | 50' |
| US1-121-1T-100 | \$128.55 | 100' |
| US1-121-1T-200 | \$223.55 | 200' |

121-1S

5/8" 3-strand polyblend synthetic lifeline with snap on one end. When ordering, final product #'s are designated by length: 25', 50', 75', 100', 200', etc. Limited stretch.

| ITEM CODE: | PRICE: | SIZE: |
|----------------|----------|-------|
| US1-121-1S-25 | \$66.80 | 25' |
| US1-121-1S-50 | \$90.55 | 50' |
| US1-121-1S-100 | \$138.05 | 100' |
| US1-121-1S-200 | \$233.05 | 200' |



121-2T

5/8" 3-strand polyblend synthetic lifeline with thimbles on both ends. When ordering, final product #'s are designated by length: 25', 50', 75', 100', 200', etc. Limited stretch.

| ITEM CODE: | PRICE: | SIZE: |
|----------------|----------|-------|
| US1-121-2T-25 | \$63.80 | 25' |
| US1-121-2T-50 | \$87.55 | 50' |
| US1-121-2T-100 | \$135.05 | 100' |
| US1-121-2T-200 | \$230.05 | 200' |

ROPE

We can supply you with exactly what you need for all on-the-job applications! Give us a call at 1-800-331-2973 for custom solutions!



| ITEM CODE: | DESCRIPTION: | PRICE PER FT. | SIZE(in.): |
|-------------|--|---------------|------------|
| US1-116-38 | 3/8" Kernmantle® rope | \$1.70 | 3/8" |
| US1-116-716 | 7/16" Kernmantle® rope | \$1.95 | 7/16" |
| US1-116-12 | 1/2" Kernmantle® rope | \$2.20 | 1/2" |
| US1-120 | 1/2" 3-strand polyblend synthetic rope | \$1.45 | 1/2" |
| US1-121 | 5/8" 3-strand polyblend synthetic rope | \$0.95 | 5/8" |
| US1-121-N | 5/8" 12-strand polyester rope | \$3.45 | 5/8" |
| US1-121-FN | 5/8" Filament nylon rope | \$2.35 | 5/8" |
| US1-125-FN | 3/4" Filament nylon rope | \$3.25 | 3/4" |
| US1-122 | 3/8" Polypropylene rope | \$0.48 | 3/8" |
| US1-123 | 1/2" Polypropylene rope | \$0.75 | 1/2" |

1-800-331-2973 | NTGPRODUCTS@YAHOO.COM | ★ QUICK SHIP ITEMS 1-2 BUSINESS DAYS

48





121-RP

Rope protector for vertical or horizontal use.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-121RP | \$24.30 |



1710

Rope termination plate for 5/8" rope lifelines without the need for knots, splicing, or crimping. (Plate ONLY - does not come with rope)

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-1710 | \$68.90 |

ROPE GRABS - ROPE AND WIRE ROPE

Manual Rope grab:

Worker manually slides the device to the desired position on the rope and releases it, locking it on the lifeline and providing the worker with fall protection. Great for sloped roofs because they lock in place once positioned.

Trailing Rope grab:

Little or no user positioning needed. Trailing grabs move up and down the lifeline with the worker, locking only when a fall occurs.

It is strongly recommended that lanyard length not exceed 3' when in use with a rope grab. This aids OSHA compliance and helps to reduce free-fall distances.



1201

Stainless steel trailing rope grab for use on 5/8" and 3/4" 3-strand synthetic rope. Attachable, detachable anywhere on lifeline.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-1201 | \$250.63 |



1201N

Stainless steel trailing rope grab for use on 5/8" 3-strand synthetic rope. Attachable, detachable anywhere on lifeline.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-1201N | \$130.26 |



1202AN-3

1201N with 3' shock absorbing lanyard attached, #74N locking snap on end.

| IT | EM CODE: | PRICE: |
|----|-------------|----------|
| U | S1-1202AN-3 | \$193.00 |



1202-3

1201 with 3' lanyard attached, #74N locking snap on end.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-1202-3 | \$284.00 |

1202A-3

1201 with 3' shock absorbing lanyard attached, #74N locking snap on end.

| ITEM CODE: | PRICE: |
|-------------|----------|
| US1-1202A-3 | \$313.45 |

50

1261



Trailing rope grab for use on 5/8" 3-strand synthetic rope. Comes with "gravity washer" to prevent user from installing incorrectly. Attach and detach anywhere on lifeline.

| [| ITEM CODE: | PRICE: |
|---|------------|----------|
| [| US1-1261 | \$140.83 |



1352A-3

Manual Rope grab, plated steel for use on 5/8" and 3-strand synthetic rope. Not attachable, detachable anywhere on lifeline.

| ITEM CODE: | PRICE: |
|-------------|----------|
| US1-1352A-3 | \$118.20 |



1401-38

Stainless steel trailing cable grab for use with 3/8" and 5/16" wire rope.

| ITEM CODE: | PRICE: |
|-------------|----------|
| US1-1401-38 | \$307.10 |

| ROPE GRABS NOT PICTURED | | | |
|-------------------------|--|----------|--|
| ITEM CODE: | DESCRIPTION: | PRICE: | |
| US1-1202N-3 | 1201N with 3' lanyard attached, #74N locking snap on end. | \$163.60 | |
| US1-1262-3 | US1-1262-3 1261 with 3' lanyard attached, #74N locking snap on end. \$174.2 | | |
| US1-1262A-3 | US1-1262A-3 1261 with 3' shock absorbing lanyard attached, #74N locking snap on end. \$203.65 | | |
| US1-1401A-38 | Stainless steel trailing cable grab for 3/8" and 5/16" wire rope, shock absorber, and carabiner. | \$349.60 | |

ROOFER'S KITS



RK DELUXE ROOFER'S KITS

Included in the RK Deluxe Roofer's Kit is a MRA-R double-plate roof anchor, 410 5/8" lifeline with self-locking snaps on each end, 1202AN-3 stainless trailing rope grab with 3' shock absorbing lanyard, 631 full body harness, carry bag, and instruction manual.

Available in 25', 50' and 100' lengths.

| ITEM CODE: | PRICE: | SIZE: |
|------------|----------|-------|
| US1-RK-25 | \$560.70 | 25' |
| US1-RK-50 | \$588.20 | 50' |
| US1-RK-100 | \$643.20 | 100' |

RKB SERIES ROOFER'S KITS

RKB Kit configurations are based upon the desired roof anchor and length of rope necessary to fit the application. Components shown to the right are included in all RKB Kits. Choice of anchor and corresponding Kit numbers are shown below.

RKB Kits include:

Desired roof anchor, 411 5/8" lifeline with a self-locking snap on one end and an eye thimble on the other end, 1352A-3 manual rope grab with 3' shock absorbing lanyard, 631 full body harness, storage bucket with lid, and instruction manual.



RKB-1720

25' or 50' kit with six 1720 anchors.

| ITEM CODE: | PRICE: | SIZE: |
|-----------------|----------|-------|
| US1-RKB-1720-25 | \$309.15 | 25' |
| US1-RKB-1720-50 | \$336.65 | 50' |



RKB-1725

25' or 50' kit with 1725 anchor.

| ITEM CODE: | PRICE: | SIZE: |
|-----------------|----------|-------|
| US1-RKB-1725-25 | \$276.60 | 25' |
| US1-RKB-1725-50 | \$304.10 | 50' |

1-800-331-2973 | NTGPRODUCTS@YAHOO.COM | ★ QUICK SHIP ITEMS 1-2 BUSINESS DAYS



RKB-MRA

25' or 50' kit with MRA-R1 anchor.

| ITEM CODE: | PRICE: | SIZE: |
|----------------|----------|-------|
| US1-RKB-MRA-25 | \$293.10 | 25' |
| US1-RKB-MRA-50 | \$320.60 | 50' |



RKB-1715

25' or 50' kit with 1715 anchor.

| ITEM CODE: | PRICE: | SIZE: |
|----------------|----------|-------|
| US1-RKB1715-25 | \$298.35 | 25' |
| US1-RKB1715-50 | \$325.85 | 50' |

ROOF ANCHORS



MRA-R1 ★

Removable/reusable single plate roof anchor with screws.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-MRA-R1 | \$39.70 |



MRA-R

Removable/reusable roof anchor (double plate) with screws.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-MRA-R | \$87.95 |



1715

Removable/reusable roof anchor with single D-ring attachment. Nails included.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-1715 | \$44.95 |

1720 ★

Disposable roof anchor bracket for use with carabiner. Nails are included.

| ITEM CODE: | PRICE: |
|------------|--------|
| US1-1720 | \$9.30 |



1725 ★

Disposable roof anchor with single D-ring attachment. Nails are included.

| ITEM CODE: | PRICE: | |
|------------|---------|--|
| US1-1725 | \$23.25 | |



1730 ★

Permanent roof anchor with single D-ring attachment. Nails are included.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-1730 | \$37.45 |



1740 ★

Permanent roof anchor with double D-ring attachment. Nails are included.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-1740 | \$44.95 |

1-800-331-2973 | NTGPRODUCTS@YAHOO.COM | ★ QUICK SHIP ITEMS 1-2 BUSINESS DAYS

1791



Roof mount assembly for variable pitch steel, metal or wood roofs. Mounts anywhere on the roof, rotates 360° for maximum maneuverability and safety, comes as anchor ONLY. Retractable lifeline purchased separately, choose from: RL25, RL30, or RL50 Series retracts Mounting hardware included.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-1791 | \$428.40 |

1792



Roof mount assembly for variable pitch standing seam metal roofs. Mounts anywhere on the roof, rotates 360° for maximum maneuverability and safety, comes as anchor ONLY in 12"-18" or 24"-36" sizes. Retractable lifeline purchased separately, choose from: RL25, RL30, or RL50 Series retracts. Mounting hardware included.

| ITEM CODE: | PRICE: |
|-------------|----------|
| US1-1792-18 | \$550.00 |

TIE-OFF STRAP ANCHORS

Tie-off strap anchors wrap around I-beams and other structures to form a secure attachment point for lanyards or other connecting devices.



1122HD - 1100 WEB SERIES

22" single D-ring tie-off strap made of 1" nylon webbing.

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-1122HD | \$30.65 | 22" |



1124K - 1100 WEB SERIES

2' single D-ring Kevlar tie-off strap.

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-1124K | \$92.80 | 2' |



1100 WEB SERIES

Made from 1-3/4" nylon webbing with a D-ring on one side and loop on the other.

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-1124 ★ | \$39.85 | 2' |
| US1-1136 ★ | \$42.40 | 3' |
| US1-1148 | \$45.00 | 4' |
| US1-1160 | \$47.50 | 5' |
| US1-1172 | \$50.05 | 6' |
| US1-1196 | \$55.15 | 8' |



1300 WEB SERIES

Made from durable 1-3/4" nylon webbing with one D-ring on each end.

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------|
| US1-1324 ★ | \$39.85 | 2' |
| US1-1336 | \$41.17 | 3' |
| US1-1348 ★ | \$42.50 | 4' |
| US1-1372 ★ | \$45.10 | 6' |
| US1-1396 | \$47.70 | 8' |

1300WP WEB SERIES

Made from durable 1-3/4" nylon webbing with one D-ring on each end. 3" wear pad increases durability.

| ITEM CODE: | PRICE: | SIZE: |
|---------------|---------|-------|
| US1-1324-WP | \$41.45 | 2' |
| US1-1336-WP ★ | \$53.40 | 3' |
| US1-1348-WP | \$56.45 | 4' |
| US1-1372-WP ★ | \$62.50 | 6' |

BEAM TROLLEY & BEAM ANCHOR



106

1-800-331-2973 | NTGPRODUCTS@YAHOO.COM | **★ QUICK SHIP ITEMS 1-2 BUSINESS DAYS**

This Beam Trolley is adjustable and slides along the beam with the worker for maximum mobility, The flange width is adjustable from 3"-8" and provides a maximum capacity rating of 400 lbs.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-106 | \$723.60 |

1300 WED SERIES

STEEL ANCHORAGE CONNECTORS

Steel anchorage connectors are removable/ reusable, and are made to be mounted on solid steel structures and/or steel I-beams.



1550 D-BOLT ANCHOR *

Steel construction with up to 2-1/2" working thickness. Includes 5/8" bolt assembly.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-1550 | \$51.70 |



1701 ★

Steel bolt-on anchor plate with D-ring. Removable/reusable and fully ANSI and OSHA compliant.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-1701 | \$63.70 |

1769 ★

1775-S3



Spring action Girder Anchor with one handed operation. Fits 3/4" - 1" hole diameter, maximum 1" thick material.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-1769 | \$284.65 |



1/4" stainless steel anchor plate, six ply webbing, plated steel D-ring, and 3" bolt, washers & nut for steel applications.

| ITEM CODE: | PRICE: |
|-------------|---------|
| US1-1775-S3 | \$86.75 |

CONCRETE ANCHORAGE CONNECTORS

DISPOSABLE CONCRETE ANCHOR STRAP WITH D-RING



Concrete anchor strap with D-ring is designed to provide temporary anchorage in concrete. The 1-3/4" wide abrasion resistant webbing and forged steel D-ring are rated at 5,000 lbs. Available for purchase in cases.

| ITEM CODE: | PRICE: | SIZE(ft.): |
|----------------|----------|------------|
| US1-1124C | \$11.40 | 2' |
| US1-1136C | \$13.13 | 3' |
| US1-1148C | \$14.78 | 4' |
| CASE OF 40 | | |
| US1-1124C-CASE | \$446.90 | 2' |
| US1-1136C-CASE | \$514.50 | 3' |
| US1-1148C-CASE | \$579.20 | 4' |



2' concrete anchor strap with web loop is designed to provide temporary anchorage in concrete. The 1-3/4" wide webbing is abrasion resistant. Available for purchase in cases.

| ITEM CODE: | PRICE: | SIZE(ft.): |
|------------------|----------|------------|
| US1-1124CND | \$9.00 | 2' |
| US1-1136CND | \$10.70 | 3' |
| US1-1148CND | \$12.43 | 4' |
| CASE OF 40 | | |
| US1-1124CND-CASE | \$353.80 | 2' |
| US1-1136CND-CASE | \$418.50 | 3' |
| US1-1148CND-CASE | \$487.10 | 4' |



TC100

Concrete anchor that is placed through a hole in the concrete floor, providing workers on a lower level an over-head anchor.

| IT | EM CODE: | PRICE: |
|----|----------|----------|
| U, | S1-TC100 | \$117.50 |

1775

Concrete anchor with 1/4" stainless steel anchor plate, six ply webbing, and plated steel D-ring.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-1775 | \$71.15 |



COLUMNCRETE ANCHOR



ColumnCrete Anchor is a reusable two person anchor point for concrete columns. Attach to the D-rings with shock absorbing lanyards, retractable lanyards, or other connecting devices. Available in 24" or 36".

| ITEM CODE: | PRICE: | SIZE: |
|-------------|----------|-------|
| US1-1780-24 | \$215.00 | 24" |
| US1-1780-36 | \$220.80 | 36" |



1770

Portable and reusable concrete hole anchor, rated to 5,000 lbs. Can be used for vertical and overhead concrete applications.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-1770 | \$224.75 |



1790 - RAIL ANCHOR

The rail anchor allows the user to quickly and easily affix the anchor unit to a rail (55-100 lb. rail) and then attach the personal fall arrest system. The unit is designed to allow some horizontal movement by sliding along the rail, but it is not designed to pass rail splice plates.

| ITEM CODE: | PRICE: | |
|------------|----------|--|
| US1-1790 | \$477.65 | |



1785 - DOOR JAMB ANCHOR *

The Door Jamb Anchor is designed to be used as a temporary anchor that mounts in door or window openings from 24" to 43" wide. It has one fixed leg and one adjustable leg and can be sized and secured without the use of tools. The Door Jamb Anchor meets or exceeds all OSHA requirements.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-1785 | \$659.15 |



1789 - PARAPET WALL ANCHOR *

This wall anchor is designed to provide a single worker with portable, temporary anchorage on parapet walls up to 20" thick. Features one padded fixed leg and one padded adjustable leg (with multiple pin sets & adjustable mounting pad). Can be sized and secured without the use of tools.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-1789 | \$512.35 |

MULTI-USE ANCHORAGE CONNECTORS



1824

24" Anchor Strap rated to 400 lbs. is designed for use on scaffolding, pipe, or angle iron. Features one-handed operating rebar snap #135 and connecting D-ring on the other end.

| IT | EM CODE: | PRICE: | |
|----|----------|---------|--|
| U | S1-1824 | \$93.65 | |



1503 WIRE HOOK ANCHOR *

The 1503 is a high-quality wire hook anchor. 5 inch stainless steel, rated to 400 lbs. Can connect to various approved anchorages including railing, smaller I-Beams, angle irons or scaffolding.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-1503 | \$95.15 |



4150 - BOOM STRAP ANCHORS

4' Boom strap anchor attaches to boom quickly and easily with friction buckle design. Featuring 1-3/4" polyester webbing and coated steel hardware provides a minimum tensile rating of 5,000 lbs.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-4150 | \$32.20 |



4157 - BOOM STRAP ANCHORS

5' Boom strap with ratchet.

| ITEM CODE: | PRICE: | |
|------------|---------|--|
| US1-4157 | \$76.10 | |

HORIZONTAL LIFELINE SYSTEMS

Manufactured of synthetic rope or wire rope, horizontal lifeline (HLL) systems allow one or two workers (up to 310 lbs. each) to remain tied off while in horizontal transition between two anchor points. The lifelines can be anchored by anchorage connector straps, D-bolt anchors, anchor plates, or other compatible anchorage connectors. The line tensioner on the rope system is used for line adjustment and proper tension. Wire rope systems use a turn buckle and combination clamp to achieve proper adjustment and tension. All Horizontal Lifelines come in standard lengths of 30' or 60'.

RHL



30' or 60' temporary rope HLL with tensioner, tie off straps, and carry bucket.

| ITEM CODE: | PRICE: | LENGTH(ft.): |
|------------|----------|--------------|
| US1-RHL-30 | \$759.75 | 30' |
| US1-RHL-60 | \$852.40 | 60' |

RHLD



30' or 60' temporary, low stretch rope HLL with in line shock absorber, tensioner, tie off straps, and carry bucket. Lifeline is shown.

| ITEM CODE: | PRICE: | LENGTH(ft.): |
|-------------|----------|--------------|
| US1-RHLD-30 | \$872.95 | 30' |
| US1-RHLD-60 | \$988.70 | 60' |

CHL



30' or 60' temporary wire rope HLL with in line shock absorber, tie off straps, connectors, and carry bucket.

| ITEM CODE: | PRICE: | LENGTH(ft.): |
|------------|----------|--------------|
| US1-CHL-30 | \$800.85 | 30' |
| US1-CHL-60 | \$868.60 | 60' |

TRAVERSE TEMPORARY HORIZONTAL LIFELINE SYSTEMS

The TRAVERSE Series temporary horizontal lifeline offers ideal protection when an overhead anchorage does not exist, allowing up to two workers to tie off in each span. The TRAVERSE HLL provides continuous fall protection for the length of the line. The 42" tall end posts of the system are offset for ease of use, and can be set up to any cable length with a maximum of 60' between posts. Intermediate posts can be outfitted with a pass-thru bracket to allow a connector to continuously run the length of the system. Systems can be assembled in many different lengths, from 10'-360' (in 10' increments). Standard system works on I-beams from 6"-12" wide, and 2 1/4" thick flanges. Options are available for beams up to 36" wide.

Performance Specifications:


Height: 42" working height (measured above beam) Weight: typical 60' system will weigh approx 99.5 lbs. Working Capacity: 2 users per span, no more than 6 per total system, 310 lbs. total each user with tools and equipment

Meets or exceeds: OSHA & ANSI requirements

Material Specifications:

Posts: Zinc plated **Steel Wire Rope:** Galvanized **Hardware:** Galvanized or Zinc Plated







TRV-PASS

| ITEM CODE: | DESCRIPTION: | PRICE: |
|---------------|---------------------------------|------------|
| US1-TRV20S12 | 20' system (6"-12" wide base) | \$1,477.50 |
| US1-TRV30S12 | 30' system (6"-12" wide base) | \$1,512.50 |
| US1-TRV40S12 | 40' system (6"-12" wide base) | \$1,527.50 |
| US1-TRV50S12 | 50' system (6 "-12" wide base) | \$1,541.25 |
| US1-TRV60S12 | 60' system (6"-12" wide base) | \$1,553.75 |
| US1-TRV120S12 | 120' system (6"-12" wide base) | \$2,475.00 |
| US1-TRV-S12 | Stanchion for 6"-12" wide base | \$476.40 |
| US1-TRV-S18 | Stanchion for 12"-18" wide base | \$488.15 |
| US1-TRV-S24 | Stanchion for 18"-24" wide base | \$498.75 |
| US1-TRV-S36 | Stanchion for 24"-36" wide base | \$533.75 |
| US1-TRV-PASS | Bypass/pass-thru bracket | \$63.25 |

LADDER/RIGID RAIL CLIMBING SYSTEMS



Rigid rail climbing systems provide maximum climbing safety for workers in a multitude of applications, such as: towers, antennas, chimneys, stacks, scaffolds, support poles, wind generators, signs, water tanks, dams, silos, shipboard, ladders, and virtually any place that climbing must be done! The rail attaches quickly and easily to any ladder, step iron, or climbing surface. The trolley moves freely along the rail until a slip or fall occurs, when the trolley instantly locks, and the fall is immediately arrested.

| ITEM CODE: | DESCRIPTION: | PRICE: |
|---------------|--|---------|
| US1-1-1100-AR | Anodized aluminum climbing rail, with all mounting hardware included. | \$21.40 |
| US1-1-1105-SS | 316 stainless steel climbing rail with all mounting hardware included. | \$70.65 |

Ladder/Rigid Rail Climbing System in use with 850BTS Harness shown here.



2-1200A-AT

Climbing trolley for straight, vertical aluminum rail.

| ITEM CO | DE: | PRICE: | |
|---------|---------|----------|--|
| US1-2-1 | 200A-AT | \$499.40 | |



2-1223-AT

Aluminum trolley for horizontal rails.

| ITEM CODE: | PRICE: |
|---------------|----------|
| US1-2-1223-AT | \$489.05 |



5-1501 REMOVABLE EXTENSION

54" removable aluminum extension rail. The removable extension is used to access a permanent rail system/ladder from the top, when a permanent extension is not possible or desirable. The extension is positioned into the existing permanent rail with a machined high-strength alignment bar and support channel.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-5-1501 | \$256.20 |



4-1000 - LADDER LOCK SYSTEM

Constructed of rust proof aluminum with braces and hardware made of galvanized heavy gauge steel. Installation is easy (no welding or cutting), just bolt the hardware in place, and secure for a no maintenance, permanent installation that will prevent the ladder from unauthorized use. Dimensions: 8' high x 36" wide x 1/8" thick.

| ITEM CODE: | PRICE: |
|------------|------------|
| US1-4-1000 | \$1,437.50 |

RESCUE, RECOVERY, & CONFINED SPACE SYSTEMS



R50 SERIES, 3-WAY UNIT

The R50 Series Unit is a self-retracting lifeline, capable of raising and lowering, for rescue or retrieval. If a worker slips or falls, the unit locks up, arresting the fall. The system can then be activated into winch mode, raising or lowering the worker to safety. The R50 also has a friction brake that prevents the crank handle from free-wheeling while under a load. The unit is made of a rugged, lightweight cast aluminum housing, and includes a mounting bracket for Tripod or Davit Systems, a #45 split pulley, and carabiner for attaching the lifeline to an anchor such as a tripod. 50' galvanized or stainless steel wire rope or 50' Technora[®] synthetic rope.

| ITEM CODE: | PRICE: | SIZE(ft.): | TYPE: |
|------------|------------|------------|-----------------|
| US1-R50G | \$2,626.35 | 50' | Galvanized |
| US1-R50SS | \$2,688.90 | 50' | Stainless steel |
| US1-R50T | \$2,683.90 | 50' | Technora® |



MW SERIES WINCHES

The MW Series winches offer raising and lowering capabilities with a friction brake that prevents the unit from free-wheeling when under a load. Made of a rugged steel frame and drum, the unit includes a #45 pulley, and a carabiner for attaching the line to an anchor such as a tripod. Galvanized or stainless steel wire rope or Technora® synthetic rope.

| ITEM CODE: | PRICE: | SIZE(ft.): | TYPE: |
|-------------|----------|------------|-----------------|
| US1-MW50G | \$711.60 | 50' | Galvanized |
| US1-MW50SS | \$769.15 | 50' | Stainless steel |
| US1-MW50T | \$769.15 | 50' | Technora® |
| US1-MW100G | \$866.85 | 100' | Galvanized |
| US1-MW100SS | \$939.90 | 100' | Stainless steel |
| US1-MW100T | \$939.90 | 100' | Technora® |

CONFINED SPACE TRIPODS

Confined space tripods are portable and lightweight and can easily be setup by a single person. They are designed to tolerate a vertical load of 5,000 lbs.



TP SERIES ALUMINUM TRIPOD

Aluminum TP Series tripods have non-slip rubber safety shoes, two attachment points on the steel head, a safety chain, and locking, adjustable aluminum legs. Available in two sizes.

| ITEM CODE: | PRICE: | SIZE(ft.): |
|------------|------------|------------|
| US1-TP7 | \$892.70 | 7' |
| US1-TP9 | \$1,125.60 | 9' |





TRIPOD SYSTEMS

Aluminum TP Series tripods with rescue unit only or with a 204 bag and/or work winch.

| ITEM CODE: | DESCRIPTION: | PRICE: |
|---------------|--|------------|
| US1-S50G-7 | TP7 tripod, R50G rescue unit. | \$3,519.00 |
| US1-S50SS-7 | TP7 tripod, R50SS rescue unit. | \$3,576.60 |
| US1-R50G-TP7 | TP7 tripod, R50G rescue unit, 204 bag | \$3,615.70 |
| US1-R50SS-TP7 | TP7 tripod, R50SS rescue unit, 204 bag | \$3,673.25 |
| US1-S50G-M7 | TP7 tripod, R50G rescue unit, MW50G work winch. | \$4,230.60 |
| US1-S50SS-M7 | TP7 tripod, R50SS rescue unit, MW50G work winch. | \$4,288.15 |

QUAD POD SYSTEM

The Quad Pod System features a 360° pivoting arm equipped with a fall arrest and rescue retractable unit and a winch unit capable of raising and lowering. It is often used as an alternative for a Tripod System.



FCPQ200

Complete Quad Pod System. Comes with 4-leg mobile base, boom, R50G, and MW50G.

| ITEM CODE: | PRICE: | |
|-------------|------------|--|
| US1-FCPQ200 | \$8,482.90 | |
| Boom Only | | |
| US1-FCPBOOM | \$2,020.00 | |

QUAD POD LEG BASE

Quad Pod 4-leg base ONLY (does not include Davit arm).

| ITEM CODE: | PRICE: |
|---------------------|------------|
| US1-FCPBASE-FOURLEG | \$3,125.00 |

DAVIT SYSTEM

The Davit System is the perfect solution for instances where the Quad Pod System or Tripods are not a feasible option. Features include a 360° pivoting arm equipped with a fall arrest and rescue retractable unit and a winch unit capable of raising and lowering. The base can be permanently installed while the arm is interchangeable and can be removed to use at other locations.




FCPD300

Complete Davit System. Comes with permanent mount base, riser post, boom, R50G, and MW50G.

| ITEM CODE: | PRICE: |
|-------------|------------|
| US1-FCPD300 | \$7,877.90 |

FCPD300BASE



Davit Base ONLY. Many bases can be purchased and mounted, and the Riser Pole and Davit Arm can be interchanged.

| ITEM CODE: | PRICE: |
|-----------------|------------|
| US1-FCPD300BASE | \$1,292.50 |
| Boom Only | |
| US1-FCPRISER | \$1,227.50 |



CONTROLLED DESCENT DEVICE

The descent device can be installed anywhere on a single piece of approved 7/16" rope of any length. It can be used with a full body harness and fall arrest system. To decrease friction on the rope and descend, the devices lever must be moved. As an added safety measure, if the lever is accidentally fully pressed, descent will be stopped immediately and automatically. The device can also be reversed and used to lower an individual in a rescue situation.



199D

Manually operated controlled descent device and a 354-2 carabiner.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-199D | \$381.95 |

CONTROLLED DESCENT KITS

Standard Kits include: desired length of rope with thimble eye on one end, two #354-2 carabiners, 199D controlled descent device, and drawstring carry bag.

| ITEM CODE: | PRICE: | SIZE(ft.): |
|-------------|----------|------------|
| US1-199-50 | \$558.25 | 50' |
| US1-199-100 | \$655.28 | 100' |
| US1-199-200 | \$849.35 | 200' |





SYSTEM 99 - 99B

SYSTEM 99 is a lowering and lifting system with a mechanical advantage of 3:1, making it easy to operate by a single individual. It can be used for rescue and recovery or for work and utility purposes. The design is lightweight with a 200 ft. long system weighing only 52 lbs. The complete system will arrive with two carabiners to connect to the anchor and to connect to the user, and an ascender handle with lanyard.

| ITEM CODE: | PRICE: | SIZE(ft.): |
|-------------|------------|------------|
| US1-99B-50 | \$2,187.50 | 50' |
| US1-99B-75 | \$2,412.50 | 75' |
| US1-99B-100 | \$2,637.50 | 100' |
| US1-99B-150 | \$3,087.50 | 150' |
| US1-99B-200 | \$3,537.50 | 200' |



REMOTE PROMPT RESCUE (RPR) SYSTEM

This rescue system is designed to help an individual make the most of the vital moments following a coworkers fall by allowing them to attach a raising and lowering system to the fallen workers harness D-ring.

RPCC-12 rescue pole assembly with bag & 25' or 50' 99B System 99 with bag.

| ITEM CODE: | PRICE: | SIZE(ft.): |
|------------|------------|------------|
| US1-RPR-25 | \$2,608.15 | 25' |
| US1-RPR-50 | \$2,839.75 | 50' |



RPCC-12

6'-12' extendable rescue pole, carabiner holding clip, 354-2Z twist-lock carabiner with 1" gate, and 12" tagline, and bag. 99B System 99 NOT included.

| ITEM CODE: | PRICE: |
|-------------|----------|
| US1-RPCC-12 | \$306.84 |

CONFINED SPACE ACCESSORIES



204

16"x12"x10" hard bottom carry bag with handle and velcro closure.

| ITEM CODE: | PRICE: | |
|------------|----------|--|
| US1-204 | \$111.90 | |



45

Split pulley, stainless sheave, aluminum sides.

| ITEM CODE: | PRICE: |
|------------|----------|
| US1-45 | \$131.85 |



354-2Z

Twist-lock carabiner, 1" gate.

| ITEM CODE: | PRICE: | |
|------------|---------|--|
| US1-354-2Z | \$35.61 | |



354-5

Twist-lock carabiner, 3/4" gate.

| ITE | EM CODE: | PRICE: | |
|-----|----------|---------|--|
| US | 61-354-5 | \$28.37 | |



207

Wristlets (pair).

| ITEM CODE: | DESCRIPTION: | PRICE: |
|------------|------------------------|----------|
| US1-206-9 | 9' tripod carrying bag | \$156.55 |

207YL

Wristlets (pair) with yoke and 25' tagline.

| 1 | ITEM CODE: | PRICE: |
|---|------------|----------|
| | US1-207YL | \$102.75 |





702Y

Web yoke with spreader bar.

| ITEM CODE: | PRICE: | |
|------------|----------|--|
| US1-702Y | \$120.15 | |



WL - FLEXIBLE WEB LADDER

High strength webbing flexible ladder with 1-1/4" diameter round fiberglass rungs and two #354-2 carabiners. Multiple ladders can be joined together using the carabiners.

| ITEM CODE: | PRICE: | SIZE(ft.): |
|------------|------------|------------|
| US1-WL-10 | \$441.25 | 10' |
| US1-WL-20 | \$815.00 | 20' |
| US1-WL-30 | \$1,188.75 | 30' |
| US1-WL-40 | \$1,562.50 | 40' |
| US1-WL-50 | \$1,936.25 | 50' |

CARRY BAGS & POUCHES

Various accessory bags to hold all of your necessities.



203

17" x 8.5" x 8.5" carry bag with handle and zipper closure.

| ITEM CODE: | PRICE: |
|------------|---------|
| US1-203 | \$61.45 |

206



7' or 9' tripod carrying bag.

| ITEM CODE: | PRICE: | SIZE(ft.): |
|------------|----------|------------|
| US1-206 | \$136.65 | 7' |
| US1-206-9 | \$156.55 | 9' |



208

Drawstring bag.

| ITEM CODE: | PRICE: | SIZE: |
|------------|---------|-------------------|
| US1-208 | \$21.00 | 8.5" dia. x 12" h |
| US1-208-1 | \$26.05 | 11" dia. x 14" h |



211

Lanyard pouch.

| ITEM CODE: | PRICE: | |
|------------|---------|--|
| US1-211 | \$28.45 | |

SAFETY EQUIPMENT FULL PRICE LIST

| ITEM CODE: | PRODUCT: | PRICE: | SIZE: |
|-----------------|---|----------|-------|
| | STRATOS HARNESSES | | |
| US1-22950 | 4 point adjustment cross-chest design with chest D-ring, & grommet/tongue buckle leg straps | \$289.48 | |
| US1-22970 | 4 point adjustment cross-chest design with chest D-ring, & quick-connect bayonet leg straps | \$289.48 | |
| US1-22850BH-ALT | 6 point adjustment with removable tool belt, chest D-ring, hip positioning D-rings, and grommet/tongue buckle leg straps | \$461.45 | |
| US1-22030B | Rope Access, Rescue, Tactical Full Body Harness. Strato-Lite comfort pads on shoulder, Comfort waist and leg pads, side D-rings, front waist D-ring, front sternum D-ring | \$503.70 | |
| US1-22650B | Stratos Vest Style Body Harness | \$276.60 | |
| US1-22850B | Stratos Construction Style Body Harness | \$356.10 | |
| | 500 HARNESS SERIES | | |
| US1-550-S | 550 Light Duty Harness | \$125.85 | S-L |
| US1-550B-S | 550B Light Duty Harness - 550 with hip positioning D-rings | \$144.60 | S-L |
| US1-530-S | 530 Full body harness with mating buckle leg straps | \$125.85 | S-L |
| US1-570-S | 570 Full body harness with super-quick bayonet buckles on the chest and legs | \$154.80 | S-L |
| | 600 HARNESS SERIES | | |
| US1-650-S | 650 lightweight Full Body Harness | \$122.85 | S-L |
| US1-650B-S | 650 lightweight Full Body Harness w/ hip positioning D-rings | \$141.60 | S-XL |
| US1-631-SM | 631 Lightweight Universal Body Harness | \$85.40 | S-XL |
| US1-631B | 631 Lightweight Universal Body Harness w/ hip positioning D-rings, one size only | \$104.15 | M-XL |
| US1-671PR-SM | 671PR Lightweight Universal Body Harness | \$159.10 | S-XL |
| US1-651-SM | 651 Lightweight Universal Body Harness | \$95.90 | S-XL |
| US1-651B-SM | 651 Lightweight Universal Body Harness w/ hip positioning D-rings | \$122.15 | S-XL |
| US1-630-SM | 630 Full body harness with mating buckle leg straps | \$122.85 | S-XL |
| US1-630B-SM | 630 Full body harness w/ hip positioning D-rings | \$141.60 | S-XL |
| US1-631D-SM | 631 with shoulder D-rings | \$111.65 | S-XL |
| US1-651D-SM | 651 with shoulder D-rings | \$122.15 | S-XL |
| US1-671-SM | 671 Lightweight full body harness (yellow) with super quick bayonet chest and leg buckles | \$115.35 | S-XL |
| | 800 HARNESS SERIES | | |
| US1-850-S | 850 Full Body Harness | \$185.75 | S |
| US1-850AB-S | 850AB Full Body Harness - 850 with shoulder pads and hip positioning D-rings | \$226.30 | S |
| US1-870BP-S | 870BP - 870 with comfort back and shoulder pad and hip positioning D-rings | \$277.20 | S |
| US1-872-S | 872 Female Full Body Harness | \$210.35 | S |
| US1-853AB-S | 853AB - 853 with hip positioning D-rings and shoulder pads | \$226.75 | S |
| US1-800PS | Positioning strap, 3-1/2" wide padded saddle seat with D-rings. | \$57.84 | |
| US1-830-S | 830 Full body harness with mating buckle leg straps, 6" back pad, removable tool belt | \$185.80 | S |
| US1-830AB-S | 830AB - 830 with shoulder pads and hip positioning D-rings | \$220.75 | S |
| US1-850A-S | 850A - 850 with shoulder pads | \$202.00 | S |
| US1-850B-S | 850B - 850 with hip positioning D-rings | \$204.50 | S |
| US1-870-S | 870 Full body harness with super-quick bayonet chest & leg buckles, 6" back pad, removable tool belt | \$214.70 | S |
| US1-870AB-S | 870AB - 870 with shoulder pads and hip positioning D-rings | \$249.70 | S |
| US1-872B-S | 872B - 872 with hip positioning D-rings | \$229.10 | S |

1-800-331-2973 | NTGPRODUCTS@YAHOO.COM | ★ QUICK SHIP ITEMS 1-2 BUSINESS DAYS

| ITEM CODE: | PRODUCT: | PRICE: | SIZE: |
|-----------------|---|----------|--------------|
| US1-872AB-S | 872AB - 872 with shoulder pads and hip positioning D-rings | \$245.35 | S |
| US1-833-S | 833 - full body harness with mating buckle leg straps, 6" back pad, sub-pelvic strap, removable tool belt | \$191.75 | S |
| US1-853-S | 853 - full body harness with grommet/tongue buckle leg straps, 6" back pad, removable tool belt, sub-pelvic strap | \$191.75 | S |
| US1-853A-S | 853A - 853 with shoulder pads | \$208.00 | S |
| US1-850ABT-S | 850ABT Full Body Harness - TOWER CLIMBER SERIES | \$245.40 | S |
| US1-850B-TS-S | 850B-TS Full Body Harness - TOWER CLIMBER SERIES | \$210.75 | S |
| US1-8D150ABT-S | 8D150ABT FCP's Derrick harness | \$414.00 | S |
| US1-887PBT-S | 887PBT Full Body harness | \$370.40 | S |
| US1-897ABT-S | 897ABT Full Body Harness - TOWER CLIMBER SERIES | \$282.00 | S |
| US1-850ABTH-S | 850ABT with front chest D-ring | \$259.15 | S |
| | 900 HARNESS SERIES | | |
| US1-930-S | 930 Full Body Harness - CROSSOVER SERIES | \$125.85 | S |
| US1-930B-S | 930B - 930 model with hip positioning D-rings | \$144.60 | S |
| US1-950-S | 950 Full Body Harness - CROSSOVER SERIES | \$125.85 | S |
| US1-950B-S | 950B - 950 model with hip positioning D-rings | \$144.60 | S |
| | SPECIALTY HARNESS SERIES | | |
| JS1-552-S | 552 Full Body Miner's Harness | \$269.65 | S |
| US1-631LJ-S | 631LJ - model 631 with a built in life jacket | \$329.60 | S |
| US1-AF630K-DE-S | Arc Flash Harness | \$550.00 | S |
| US1-AF390AKZ | Arc flash certified lanyard | \$361.85 | 6' |
| US1-AF390AKDLZ | Dual-leg heat & flame resistant Kevlar® Arc flash certified lanyard | \$439.60 | 6' |
| US1-530-HOT-S | 530- HOT Full Body Harness - WELDING SERIES | \$461.40 | S |
| US1-530B-HOT-S | 530B-Hot, 530-HOT model with hip positioning D-rings | \$480.15 | S |
| US1-631-HOT-SM | 631-HOT Full Body Harness | \$329.60 | S-XL |
| US1-631-HOT-SM | 631B-HOT, 631-HOT model with hip positioning D-rings | \$348.35 | S-XL |
| US1-400SC-FR | Retrofit flame resistant shoulder & chest strap covers | \$62.20 | |
| US1-480AK | 480A with heat resistant Kevlar® Shock Absorber | \$173.90 | |
| US1-490AK | 490A with heat resistant Kevlar® webbing | \$166.00 | |
| US1-630UT-S | 630UT Full Body Harness with no metal above the waist | \$147.55 | S |
| US1-631KUT-S | 631KUT Full Body Arc Flash Harness | \$394.45 | S |
| US1-347AS-135A | 6' dual leg (100% tie-off), elastic shock absorbing web lanyard w/pack | \$226.40 | |
| US1-355AZ | 355A Lanyard with a "Z SERIES" compatible snap hook | \$96.45 | |
| US1-4151-U | 21" x 16" plywood deluxe work seat with built-in harness, side D-rings, and waist strap | \$500.00 | UNIV. |
| US1-4153-U | 21" x 16" plywood deluxe work seat | \$295.00 | UNIV. |
| US1-4154-U | 12" x 24" plywood work seat | \$328.50 | UNIV. |
| US1-4754-U | 12" x 24" plywood work seat with built in harness with tongue buckle leg straps and removable waist belt | \$298.40 | UNIV. |
| | HARNESS ACCESSORIES | | |
| US1-1418 | D-ring extension strap with a D-ring on one end, locking snap on the other end. | \$38.25 | 18" x 1-3/4" |
| US1-1418-LOOP | D-ring extension with choke loop. | \$36.20 | 18" x 1-3/4" |
| US1-400L | Lanyard retainer, 1" web loop sewn to harness. | \$1.55 | 1" |
| US1-400B | Lanyard retainer, 1" web loop with button snap sewn to harness. | \$3.10 | 1" |
| US1-400V | Lanyard retainer, 1" web loop with Velcro sewn to harness. | \$3.38 | 1" |

| ITEM CODE: | PRODUCT: | PRICE: | SIZE: |
|----------------|---|----------|-------|
| US1-400R | Lanyard retainer, 1" web loop with 2" O-ring sewn to harness. | \$2.45 | 1" |
| US1-400SB | Sliding buckle cover/insulator. | \$10.88 | 1" |
| US1-400BC | Flame resistant buckle covers for chest & leg. (harness not included) | \$11.00 | |
| US1-VIZ | Removable/cleanable class II ANSI hi-visibility vest sold separately as an accessory, or added to a harness as an option (example: 650VIZ). | \$83.25 | |
| | LIFELINES AND LANYARDS | | |
| | WEB PACK-STYLE SHOCK ABSORBING LANYARDS - 1" synthetic webbing with pack-style shock pack | | |
| US1-450A | 6' shock absorbing web lanyard w/pack, #74N locking snaps at each end | \$90.05 | 6' |
| US1-457A-135A | 6' shock absorbing web lanyard w/pack, #74N locking snap one end, #135A aluminum snap (2-1/2" opening) other end. | \$135.25 | 6' |
| US1-452AN | 6' shock absorbing web lanyard w/pack, #74N locking snap one end, #69N snap (1-3/4" opening) other end. | \$111.20 | 6' |
| US1-454A | 6' shock absorbing web lanyard w/pack, #74N locking snap one end, #136 snap (2-1/4" opening) other end. 1" synthetic webbing with pack-style shock pack. Other lengths available. | \$117.60 | 6' |
| US1-457A-135A | 6' shock absorbing web lanyard w/pack, #74N locking snap one end, #135 snap (2-1/2" opening) other end. | \$124.40 | 6' |
| US1-490A | 6' shock absorbing web lanyard w/pack made of heavy duty 1-3/4" synthetic webbing, with #74N locking snaps each end. | \$65.15 | 6' |
| US1-490AK | $6'$ shock absorbing heat resistant Kevlar ${\ensuremath{\mathbb R}}$ lanyard w/ Kevlar ${\ensuremath{\mathbb R}}$ pack, #74N locking snaps each end. | \$166.00 | 6' |
| US1-355A | 6' shock absorbing web lanyard w/pack, #74N locking snap at one end, and a loop on the shock pack end to choke to attachment point on harness | \$83.60 | 6' |
| US1-450AD | 6' shock absorbing web lanyard w/pack, #74N locking snaps at each end, and an adjustable D-ring. | \$104.30 | 6' |
| US1-452A | 6' shock absorbing web lanyard w/pack, #74N locking snap one end, #69 snap (1-3/4" opening) other end. | \$111.20 | 6' |
| | ADJUSTABLE WEB PACK-STYLE SHOCK ABSORBING LANYARDS - 1" synthetic webbing with pack-style shock pack. | | |
| US1-450AB | 6' adjustable length shock absorbing web lanyard w/pack, #74N locking snaps at each end. | \$102.80 | 6' |
| US1-452AB | 6' adjustable length shock absorbing web lanyard w/pack, #69 snap (1-3/4" opening) other end. | \$123.95 | 6' |
| US1-452ABN | 6' adjustable length shock absorbing web lanyard w/pack, #69N snap (1-3/4" opening) other end. | \$123.95 | 6' |
| US1-454AB | 6' adjustable length shock absorbing web lanyard w/pack, with #74N locking snap one end, #136 snap (2-1/4" opening) other end. | \$130.30 | 6' |
| US1-457AB-135A | 6' adjustable length shock absorbing web lanyard w/pack, with #74N locking snap one end, #135 snap (2-1/2" opening) other end. | \$148.00 | 6' |
| | ELASTIC PACK-STYLE SHOCK ABSORBING LANYARDS - 1-3/16" synthetic webbing. Stretches to minimize tripping and snagging hazards. Standard length is 6 feet, 4.5 feet when relaxed. | | |
| US1-450AS | 6' elastic shock absorbing web lanyard w/pack, #74N locking snaps at each end. | \$91.75 | 6' |
| US1-457AS-135A | 6' elastic shock absorbing web lanyard w/pack, #74N locking snap one end, #135A aluminum snap (2-1/2" opening) other end. | \$136.85 | 6' |
| US1-452AS | 6' elastic shock absorbing web lanyard w/pack, #74N locking snap one end, #69 snap (1-3/4" opening) other end. | \$112.85 | 6' |
| US1-452ASN | 6' elastic shock absorbing web lanyard w/pack, #74N locking snap one end, #69N snap (1-3/4" opening) other end. | \$112.85 | 6' |
| US1-454AS | 6' elastic shock absorbing web lanyard w/pack, #74N locking snap one end, #136 snap (2-1/4" opening) other end. | \$119.20 | 6' |
| US1-457AS-135A | 6' elastic shock absorbing web lanyard with #74N locking snap one end, #135 snap (2-1/2" opening) other end. | \$136.85 | 6' |
| | ROPE PACK-STYLE SHOCK ABSORBING LANYARDS - 1/2" polyblend rope with pack-style shock absorber. | | |
| US1-400A | 6' x 1/2" shock absorbing rope lanyard w/pack, #74N locking snaps at each end. | \$98.60 | 6' |
| US1-404A | 6' x 1/2" shock absorbing rope lanyard w/pack, #74N locking snap one end, #136 snap (2-1/4" opening) other end. | \$126.10 | 6' |
| US1-400AB | 6' x 1/2" adjustable length shock absorbing rope lanyard w/pack, #74N locking snaps at each end. | \$102.40 | 6' |
| US1-402A | 6' x 1/2" shock absorbing rope lanyard w/pack, #74N locking snap one end, #69 snap (1-3/4" opening) other end. | \$119.70 | 6' |
| | WIRE ROPE PACK-STYLE SHOCK ABSORBING LANYARDS - 7/32" coated to 9/32 vinyl covered wire rope with pack-style shock absorber. | | |
| US1-470A | 6' shock absorbing vinyl coated wire rope lanyard w/pack, #74N locking snaps at each end. | \$87.40 | 6' |

| ITEM CODE: | PRODUCT: | PRICE: | SIZE: |
|----------------|---|----------|-------|
| US1-474A | 6' shock absorbing vinyl coated wire rope lanyard w/pack, #74N locking snap one end, #136 snap (2-1/4" opening) other end. | \$114.90 | 6' |
| US1-470AK | 6' shock absorbing wire rope lanyard with heat resistant Kevlar® pack, #74N locking snaps at each end. | \$137.85 | 6' |
| US1-472A | 6' #74N locking snap one end, #69 snap (1-3/4" opening) other end. | \$108.55 | 6' |
| | TUBULAR SHOCK ABSORBING LANYARDS - 1-3/16" tubular synthetic webbing with internal shock absorbing core. | | |
| US1-460A | 6' tubular shock absorbing web lanyard with #74N locking snaps at each end. | \$80.90 | 6' |
| US1-460A | 6' tubular shock absorbing web lanyard with #74N locking snap one end, #69N snap (1-3/4" opening) other end. | \$102.00 | 6' |
| US1-464A | 6' tubular shock absorbing web lanyard with #74N locking snap one end, #136 snap (2-1/4" opening) other end. | \$108.40 | 6' |
| US1-467A-135A | 6' tubular shock absorbing web lanyard with #74N locking snap one end, #135A aluminum snap (2-1/2" opening) other end. | \$126.00 | 6' |
| US1-462A | 6' tubular shock absorbing web lanyard with #74N locking snap one end, #69 snap (1-3/4" opening) other end. | \$102.05 | 6' |
| US1-461A-TE | 6' web lanyard with #74N locking snap one end, twisted eye (for choking to attachment point on harness) other end. | \$77.90 | 6' |
| US1-462A-TE | 6' web lanyard with #69N snap (1-3/4" opening) one end, twisted eye (for choking to attachment point on harness) other end. | \$99.00 | 6' |
| US1-464A-TE | 6' web lanyard with #136 snap (2-1/4" opening) one end, twisted eye (for choking to attachment point on harness) other end. | \$105.40 | 6' |
| | ELASTIC tubular SHOCK ABSORBING LANYARDS - 2" tubular synthetic webbing with internal shock absorbing core. | | |
| US1-460AS | 6' elastic tubular shock absorbing web lanyard with #74N locking snaps at each end. | \$92.65 | 6' |
| US1-462AS | 6' elastic tubular shock absorbing web lanyard with #74N locking snap one end, #69 snap (1-3/4" opening) other end. | \$113.75 | 6' |
| US1-462ASN | 6' elastic tubular shock absorbing web lanyard with #74N locking snap one end, #69N snap (1-3/4" opening) other end. | \$113.75 | 6' |
| US1-464AS | 6' elastic tubular shock absorbing web lanyard with #74N locking snap one end, #136 snap (2-1/4" opening) other end. | \$120.15 | 6' |
| US1-467AS-135A | 6' elastic tubular shock absorbing web lanyard with #74N locking snap one end, #135 snap (2-1/2" opening) other end. | \$137.80 | 6' |
| | TIE-BACK, LANYARD, AND ANCHOR ALL IN ONE 'Lanchor' lanyards - Constructed of double layered webbing to meet extreme specifications, the 'Lanchor Series' lanyards are designed to tie back onto themselves, providing an extremely accommodating and adaptable means of anchoring - when other equipment or options may not be available. 1-3/8" tubular synthetic webbing with shock pack and internal wear indicating core. | | |
| US1-456AW | 6' "double-tuff" shock absorbing lanchor web lanyard w/pack, #74N locking snap one end, #63 (5K w/ 3.6K gate) auto-locking snap other end. | \$109.60 | 6' |
| US1-446AW | 6' dual leg (100% tie-off), "double-tuff" shock absorbing lanchor web lanyard w/pack, #74N locking snap one end, #63 (5K w/ 3.6K gate) auto-locking snaps other two ends. | \$175.00 | 6' |
| US1-456AW-EXT | Lanchor lanyard featuring an added D-ring for applications that call for an additional connection or SRL connection, while the lanyard remains attached to the back D-ring. | \$125.00 | 6' |
| | DUAL LEG WEB PACK-STYLE SHOCK ABSORBING LANYARDS - 1" synthetic webbing with shock pack. 100% tie-off. | | |
| JS1-440A | 6' dual leg (100% tie-off), shock absorbing web lanyard w/pack, #74N locking snaps on every end. | \$134.80 | 6' |
| US1-442A | 6' dual leg (100% tie-off), shock absorbing web lanyard w/pack, #74N locking snap one end, #69 snap (1-3/4" opening) other two ends. | \$163.15 | 6' |
| US1-442AN | 6' dual leg (100% tie-off), shock absorbing web lanyard w/pack, #74N locking snap one end, #69N snap (1-3/4" opening) other two ends. | \$163.15 | 6' |
| US1-444A | 6' dual leg (100% tie-off), shock absorbing web lanyard w/pack, #74N locking snap one end, #136 snap (2-1/4" opening) other two ends. | \$175.90 | 6' |
| US1-447A-135A | 6' dual leg (100% tie-off), shock absorbing web lanyard w/pack, #74N locking snap one end, #135A aluminum snap (2-1/2" opening) other two ends. | \$211.20 | 6' |
| US1-490A-DL | 6' dual leg (100% tie-off), 1-3/4" shock absorbing web lanyard w/pack, #74N locking snaps on every end. | \$100.45 | 6' |
| US1-440ADD | 6' dual leg (100% tie-off), shock absorbing web lanyard w/pack, #74N locking snaps on every end, sliding D-rings on each leg. | \$149.35 | 6' |
| | ADJUSTABLE DUAL LEG WEB PACK-STYLE SHOCK ABSORBING LANYARDS, 100% TIE-OFF - 1" synthetic webbing with shock pack. Adjustable lanyards ordered by the longest length and adjust down to approximately half. | | |
| US1-440AB | 6' dual leg (100% tie-off), adjustable shock absorbing web lanyard w/pack, #74N locking snaps on every end. | \$146.40 | 6' |

| ITEM CODE: | PRODUCT: | PRICE: | SIZE: |
|----------------|--|----------|-------|
| US1-442ABN | 6' dual leg (100% tie-off), adjustable shock absorbing web lanyard w/pack, #74N locking snap one end, #69N snap (1-3/4" opening) other two ends. | \$188.65 | 6' |
| US1-444AB | 6' dual leg (100% tie-off) adjustable shock absorbing web lanyard with #74N locking snap one end, #136 snap (2-1/4" opening) other two ends. | \$201.40 | 6' |
| US1-442AB | 6' dual leg (100% tie-off), adjustable shock absorbing web lanyard w/pack, #74N locking snap one end, #69 snap (1-3/4" opening) other two ends. | \$188.65 | 6' |
| US1-447AB-135A | 6' dual leg (100% tie-off) adjustable shock absorbing web lanyard with #74N locking snap one end, #135 snap (2-1/2" opening) other two ends. | \$236.70 | 6' |
| | DUAL LEG ELASTIC PACK-STYLE SHOCK ABSORBING LANYARDS, 100% TIE-OFF – 1-3/16" synthetic webbing. Stretches to minimize tripping and snagging hazards. Standard 6' = 4.5' when relaxed. | | |
| US1-440AS | 6' dual leg (100% tie-off), elastic shock absorbing web lanyard w/pack, #74N locking snaps at each end. | \$138.95 | 6' |
| US1-447AS-135A | 6' dual leg (100% tie-off), elastic shock absorbing web lanyard w/pack, #74N locking snap one end, #135A alumi- num snap (2-1/2" opening) other two ends. | \$229.30 | 6' |
| US1-442AS | 6' dual leg (100% tie-off), elastic shock absorbing web lanyard w/pack, #74N locking snap one end, #69 snap (1-3/4" opening) other two ends. | \$181.25 | 6' |
| US1-442ASN | 6' dual leg (100% tie-off), elastic shock absorbing web lanyard w/pack, #74N locking snap one end, #69N snap (1-3/4" opening) other two ends. | \$181.25 | 6' |
| US1-444AS | 6' dual leg (100% tie-off), elastic shock absorbing web lanyard w/pack, #74N locking snap one end, #136 snap (2-1/4" opening) other two ends. | \$193.95 | 6' |
| US1-447AS-135A | 6' dual leg (100% tie-off), elastic shock absorbing web lanyard w/pack, #74N locking snap one end, #135 snap (2-1/2" opening) other two ends. | \$210.92 | 6' |
| | DUAL LEG ROPE & WIRE PACK-STYLE SHOCK ABSORBING LANYARDS, 100% TIE-OFF - 1/2" rope or 7/32 coated to 9/32 vinyl covered cable with pack-style shock absorber. 1-3/16" synthetic webbing. | | |
| US1-430A | 6' x 1/2" dual leg (100% tie-off), shock absorbing rope lanyard w/pack, #74N locking snaps on every end. | \$149.80 | 6' |
| US1-480A | 6' dual leg (100% tie-off), shock absorbing vinyl coated wire rope lanyard w/pack, #74N locking snaps on every end. | \$118.70 | 6' |
| US1-482AN | 6' dual leg (100% tie-off), shock absorbing vinyl coated wire rope lanyard w/pack, #74N locking snap one end, #69N snap (1-3/4" opening) other two ends. | \$160.95 | 6' |
| US1-484A | 6' dual leg (100% tie-off), shock absorbing vinyl coated wire rope lanyard w/pack, #74N locking snap one end, #136 snap (2-1/4" opening) other two ends. | \$173.70 | 6' |
| US1-432AN | 6' x 1/2" dual leg (100% tie-off), shock absorbing rope lanyard w/pack, #74N locking snap one end, #69N snap (1-3/4" opening) other two ends. | \$192.10 | 6' |
| US1-434A | 6' x 1/2" dual leg (100% tie-off), shock absorbing rope lanyard w/pack, #74N locking snap one end, #136 snap (2-1/4" opening) other two ends. | \$204.80 | 6' |
| | DUAL LEG TUBULAR SHOCK ABSORBING LANYARDS, 100% TIE-OFF - 1-3/16" tubular synthetic webbing with internal shock absorbing core. 100% tie-off. | | |
| US1-420A | 6' dual leg (100% tie-off), tubular shock absorbing web lanyard with with #74N locking snaps on every end. | \$121.60 | 6' |
| US1-424A | 6' dual leg (100% tie-off), tubular shock absorbing web lanyard with #74N locking snap one end, #136 snap (2-1/4" opening) other two ends. | \$176.60 | 6' |
| US1-422A | 6' dual leg (100% tie-off), tubular shock absorbing web lanyard with #74N locking snap one end, #69 snap (1-3/4" opening) other two ends. | \$163.85 | 6' |
| US1-422AN | 6' dual leg (100% tie-off), tubular shock absorbing web lanyard with #74N locking snap one end, #69N snap (1-3/4" opening) other two ends. | \$163.85 | 6' |
| | DUAL LEG ELASTIC TUBULAR SHOCK ABSORBING LANYARDS, 100% TIE-OFF – 1-15/16" synthetic webbing. Stretches to minimize tripping and snapping hazards. | | |
| US1-420AS | 6' dual leg (100% tie-off), elastic tubular shock absorbing web lanyard with #74N locking snaps on every end. | \$145.65 | 6' |
| US1-424AS-135A | 6' dual leg (100% tie-off), elastic tubular shock absorbing web lanyard with #74N locking snap on one end, #135A aluminum snap (2-1/2" opening) other end. | \$235.95 | 6' |
| US1-424AS | 6' dual leg (100% tie-off), elastic tubular shock absorbing web lanyard with #74N locking snap one end, #136 snap (2-1/4" opening) other two ends. | \$200.65 | 6' |

| ITEM CODE: | PRODUCT: | PRICE: | SIZE: |
|----------------|--|----------|-------|
| US1-424AS-EXT | 424AS lanyard featuring an added D-ring for applications that call for an additional connection or SRL connection, while the lanyard remains attached to the back D-ring | \$215.60 | 6' |
| US1-422AS | 6' dual leg (100% tie-off), elastic tubular shock absorbing web lanyard with #74N locking snap one end, #69 snap (1-3/4" opening) other two ends. | \$187.90 | 6' |
| US1-422ASN | 6' dual leg (100% tie-off), elastic tubular shock absorbing web lanyard with #74N locking snap one end, #69N snap (1-3/4" opening) other two ends. | \$187.90 | 6' |
| | ROPE, WIRE ROPE, & WEB RESTRAINT NON-SHOCK ABSORBING LANYARDS - 1" synthetic webbing or 7/32 coated to 9/32 vinyl covered cable. Non-shock absorbing (positioning only). | | |
| US1-400 | 6' x 1/2" rope lanyard with #74N locking snaps at each end | \$67.75 | 6' |
| US1-404 | 6' x 1/2" rope lanyard with #74N locking snap one end, #136 snap (2-1/4" opening) other end. | \$95.25 | 6' |
| US1-450 | 6' web lanyard with #74N locking snaps at each end. | \$61.65 | 6' |
| US1-450B | 6' adjustable length web lanyard with #74N locking snaps at each end. | \$74.40 | 6' |
| US1-452 | 6' web lanyard with #74N locking snap one end, #69 snap (1-3/4" opening) other end | \$82.80 | 6' |
| US1-470 | 6' vinyl coated wire rope lanyard with #74N locking snaps at each end | \$46.95 | 6' |
| US1-402 | 6' x 1/2" rope lanyard with #74N locking snap one end, #69 snap (1-3/4" opening) other end. | \$88.85 | 6' |
| | THE U-RES-Q - The U-RES-Q is the most reliable, most secure product in alleviating Suspension Trauma. | | |
| US1-R450A | 6' shock absorbing web lanyard w/pack, #74N locking snaps at each end, U-RES-Q built in. | \$182.63 | 6' |
| US1-R444A | 6' dual leg (100% tie-off) shock absorbing web lanyard with #74N locking snap one end, #136 snaps (2-1/2" opening), and U-RES-Q pouches (2 total) other two ends. | \$361.05 | 6' |
| US1-R460A | 6' tubular shock absorbing web lanyard with #74N locking snaps at each end, U-RES-Q built in. | \$173.50 | 6' |
| US1-R490A | 6' x 1-3/4" shock absorbing web lanyard w/pack, #74N locking snaps at each end, U-RES-Q built in. | \$157.75 | 6' |
| US1-R-RETRO | U-RES-Q pouch with #74 locking snap one end, D-ring other end, for use in line with lanyard and anchor. | \$107.40 | 6' |
| US1-R460AT | Same as R460A with tether connecting U-RES-Q ladder to harness connector | \$202.45 | 6' |
| | Rebar Assemblies positioning & restraint systems - These positioning and restraint lanyards are used in situations to limit free fall distances to 2' or less. They quickly connect directly to rebar and other construction forms and structures. Choose between chain or webbing, non-swivel and swivel. | | |
| US1-322-WS | Web positioning assembly, #69 (1-3/4" opening) snap, swivel, and two #74N locking snaps. | \$142.50 | |
| US1-324-C | Chain positioning assembly, 12 links, #136 (2-1/4" opening) snap, no swivel, and two #74N locking snaps. | \$102.50 | |
| US1-324-CS | Chain positioning assembly, 12 links, #136 (2-1/4" opening) snap, swivel, and two #74N locking snaps. | \$112.25 | |
| US1-324-W | Web positioning assembly, #136 (2-1/4" opening) snap, no swivel, and two #74N locking snaps. | \$139.15 | |
| US1-324-WS | Web positioning assembly, #136 (2-1/4" opening) snap, swivel, and two #74N locking snaps. | \$148.90 | |
| US1-322-W | Web positioning assembly, #69 (1-3/4" opening) snap, no swivel, and two #74N locking snaps. | \$132.75 | |
| | Self-Retracting Lifelines RENEGADE Series - Renegade series American-made SRL's provide the durability and confidence expected by professionals. With 13 ft. of working capacity and quick fall-arrest capability measured in inches, the Renegade will never let you down. | | |
| US1-RG1-13-0 | Swivel Only | \$297.30 | |
| US1-RG3-13-0 | #354-4 1" opening, steel carabiner | \$312.05 | |
| US1-RGO-13-0 | #74N 3/4" steel locking snap | \$306.45 | |
| US1-RG4-13-0 | #136 2-1/4" steel locking rebar snap | \$327.80 | |
| US1-RG8-13-0 | #62 2" Steel locking carabiner | \$335.00 | |
| US1-RG3-13-0S | #354-4 1" opening, steel carabiner | \$340.00 | |
| US1-RGO-13-4 | #74N 3/4" steel locking snap | \$327.80 | |
| US1-RG3-13-0Z | #354-4 1" opening, steel carabiner | \$302.50 | |
| US1-RGOZ-13-OZ | #Z74 3/4" steel locking snap | \$301.00 | |
| US1-RG4Z-13-0Z | #Z136 2-1/4" steel locking rebar snap | \$322.85 | |
| US1-RG8-13-0Z | #62.2" Steel locking carabiner | \$324.50 | |

| ITEM CODE: | PRODUCT: | PRICE: | SIZE: |
|----------------|--|------------|-------|
| JS1-RGOZ-13-4Z | #Z74 3/4" steel locking snap | \$322.85 | |
| | Self-Retracting Lifelines ROGUE Series - Swivel anchor loop limits twisting, impact indicator tears away for visual inspection, short fall arrest activation, web shock-pack tear away to reduce fall forces, 400 lb. weight capacity, numerous options available. | | |
| US1-MRG3-OZ | #354-4 1" opening, steel carabiner | \$295.30 | |
| US1-MRG3-OSZ | #354-4 1" opening, steel carabiner | \$328.15 | |
| US1-MRG3-4Z | #354-4 1" opening, steel carabiner | \$319.15 | |
| JS1-MRGOZ-OZ | #Z74 3/4" steel locking snap | \$289.60 | |
| US1-MRGOZ-4Z | #Z74 3/4" steel locking snap | \$313.40 | |
| US1-MRG3A-6A | #354-2A 7/8" aluminum carabiner | \$352.55 | |
| US1-MRG3A-8A | #354-2A 7/8" aluminum carabiner | \$404.75 | |
| US1-MRG4Z-OSZ | #Z136 2-1/4" steel locking rebar snap | \$346.30 | |
| US1-MRG1-OZ | 8' web, 'Swivel Only - #Z74 3/4" steel locking snap | \$275.70 | |
| JS1-MRG1-OSZ | 8' web, 'Swivel Only - #RL-28 3/4" steel swivel locking snap | \$308.55 | |
| US1-MRG1-4Z | 8' web, 'Swivel Only - #Z136 2 1/2" steel locking rebar snap | \$299.50 | |
| US1-MRGCM-OZ | 8' web, Cab Mount - #Z74 3/4" steel locking snap | \$507.25 | |
| US1-MRGCM-OSZ | 8' web, Cab Mount - #RL-28 3/4" steel swivel locking snap | \$540.10 | |
| US1-M2RG-OZ | 8' web, #354-6TL 1/2" steel triple-lock carabiner -#Z74 3/4" steel locking snap | \$570.80 | |
| US1-M2RG-OSZ | 8' web, #354-6TL 1/2" steel triple-lock carabiner - #RL-28 3/4" steel swivel locking snap | \$636.50 | |
| US1-M2RG-4Z | 8' web, #354-6TL 1/2" steel triple-lock carabiner - #Z136 2 1/2" steel locking rebar snap | \$618.45 | |
| US1-M2RG-6A | 8' web, #354-6TL 1/2" steel triple-lock carabiner - #63A 3/4" aluminum captive-eye carabiner | \$630.25 | |
| US1-M2RG-8A | 8' web, #354-6TL 1/2" steel triple-lock carabiner - #62A 2" aluminum locking carabiner | \$734.60 | |
| | Self-Retracting Lifelines - Retractable lifelines provide extreme durability with high mobility! These units offer an extended range of movement, zero slack to eliminate tripping hazards, and a centrifugal braking system. | | |
| US1-459 | 8' retractable web lanyard. A carabiner is included with every unit for anchorage attachment. | \$234.00 | 8' |
| US1-RL25AGZ | Durable, lightweight, cast aluminum housing featuring a dual internal inertia braking system, external deceleration pack for ease of inspection, #354-2 carabiner for anchoring, and choice of lifeline material. Galvanized wire rope. | \$671.45 | 25' |
| US1-RL25ASZ | Durable, lightweight, cast aluminum housing featuring a dual internal inertia braking system, external deceleration pack for ease of inspection, #354-2 carabiner for anchoring, and choice of lifeline material. 25' of stainless steel wire rope. | \$729.00 | 25' |
| US1-RL25ATZ | Durable, lightweight, cast aluminum housing featuring a dual internal inertia braking system, external deceleration pack for ease of inspection, #354-2 carabiner for anchoring, and choice of lifeline material. 25' of Technora® synthetic rope. | \$729.00 | 25' |
| US1-RL30GZ | Super-strong cast aluminum housing featuring a dual internal inertia braking system, internal deceleration braking system, swivel impact indicating snap hook, #354-4 carabiner for anchoring, and choice of lifeline material. 30' of galvanized wire rope. | \$1,139.15 | 30' |
| US1-RL30SSZ | Super-strong cast aluminum housing featuring a dual internal inertia braking system, internal deceleration braking system, swivel impact indicating snap hook, #354-4 carabiner for anchoring, and choice of lifeline material. 30' of stainless steel wire rope. | \$1,194.80 | 30' |
| US1-RL30TZ | Super-strong cast aluminum housing featuring a dual internal inertia braking system, internal deceleration braking system, swivel impact indicating snap hook, #354-4 carabiner for anchoring, and choice of lifeline material. 30' of Technora® synthetic rope. | \$1,194.80 | 30' |
| US1-RL50GZ | Super-strong cast aluminum housing featuring a dual internal inertia braking system, internal deceleration braking system, swivel impact indicating snap hook, #354-4 carabiner for anchoring, and choice of lifeline material. 50' of galvanized wire rope. | \$1,165.00 | 50' |
| JS1-RL50SSZ | Super-strong cast aluminum housing featuring a dual internal inertia braking system, internal deceleration braking system, swivel impact indicating snap hook, #354-4 carabiner for anchoring, and choice of lifeline material. 50' of stainless steel wire rope. | \$1,222.60 | 50' |

| ITEM CODE: | PRODUCT: | PRICE: | SIZE: |
|--------------|--|------------|-------|
| US1-RL50TZ | Super-strong cast aluminum housing featuring a dual internal inertia braking system, internal deceleration braking system, swivel impact indicating snap hook, #354-4 carabiner for anchoring, and choice of lifeline material. 50' of Technora® synthetic rope. | \$1,222.60 | 50' |
| JS1-RL100GZ | Super-strong cast aluminum housing featuring a dual internal inertia braking system, internal deceleration braking system, swivel impact indicating snap hook, #354-4 carabiner for anchoring, and choice of lifeline material. 100' of galvanized wire rope. | \$3,299.00 | 100' |
| JS1-RL100SSZ | Super-strong cast aluminum housing featuring a dual internal inertia braking system, internal deceleration braking system, swivel impact indicating snap hook, #354-4 carabiner for anchoring, and choice of lifeline material. 100' of stainless steel wire rope. | \$3,480.20 | 100' |
| JS1-RL100TZ | Super-strong cast aluminum housing featuring a dual internal inertia braking system, internal deceleration braking system, swivel impact indicating snap hook, #354-4 carabiner for anchoring, and choice of lifeline material. 100' of Technora® synthetic rope. | \$3,480.50 | 100' |
| | Snap Hooks & Carabiners - We offer an extensive supply of top quality one-handed operational, self-closing, auto-locking snap hooks & carabiners. | | |
| JS1-274 | Steel, twin 3/4" gate, locking spreader snap. | \$121.90 | |
| JS1-RL-28 | Steel, swivel, 3/4" gate, locking snap w/ Impact Indicator. Meets ANSI Z359.1-2007 "Z-SERIES" | \$57.90 | |
| JS1-49 | Steel, swivel, 3/4" gate, locking snap. | \$55.90 | |
| JS1-74N | Steel, 3/4" gate, locking snap. | \$11.00 | |
| JS1-Z74 | Steel, 3.6K, 3/4" gate, locking snap. Meets ANSI Z359.1-2007 "Z-SERIES" | \$15.65 | |
| JS1-69 | Steel, 1-3/4" gate, locking rebar snap. | \$32.15 | |
| JS1-69N | Steel, 1-3/4" gate, locking rebar snap. | \$32.15 | |
| JS1-136 | Steel, 2-1/4" gate, locking rebar snap. Fits many concrete forms! | \$38.50 | |
| JS1-Z136 | Steel, 3.6K, 2 1/4" gate, locking rebar snap. Meets ANSI Z359.1-2007 "Z-SERIES" | \$42.85 | |
| JS1-62 | Steel, 2" gate, twist lock scaffold hook. | \$44.60 | |
| JS1-62R | Steel, 3.6K, 2" gate, twist lock scaffold hook. Meets ANSI Z359.1-2007 "Z-SERIES" | \$47.80 | |
| JS1-63 | Steel, 3.6K, 3/4" gate, twist lock snap, 5K gate capacity. Meets ANSI Z359.1-2007 "Z-SERIES". Lanchor Snap. | \$31.85 | |
| JS1-354-1 | Steel, 1/2" gate, twist lock carabiner. | \$19.70 | |
| JS1-354-2Z | Steel, 3.6K, 1" gate, twist lock carabiner. Meets ANSI Z359.1-2007 "Z-SERIES" | \$35.60 | |
| JS1-354-4 | Steel, 1" gate, twist lock carabiner, available in Stainless Steel (part #354-4SS) Meets ANSI Z359.1-2007 "Z-SERIES" | \$22.00 | |
| JS1-354-5 | Steel, 3/4" gate, twist lock carabiner. | \$28.40 | |
| JS1-175 | Aluminum, 1 " gate, locking snap. | \$74.70 | |
| JS1-354-2A | Aluminum, 7/8" gate, twist lock carabiner. | \$54.70 | |
| JS1-135A | Aluminum, 2-1/2" gate, locking rebar snap. | \$56.20 | |
| JS1-62A | Aluminum, 2" gate, twist lock scaffold hook. | \$107.70 | |
| | LIFELINES - These lifelines are constructed of a 5/8" 3-strand polyblend synthetic rope, designed for excellent wear, strength, and limited stretch. Standard lengths are available in 25 increments. | | |
| JS1-410-25 | 5/8" 3-strand polyblend synthetic lifeline with #74N locking snaps at each end. 25' in length. | \$82.80 | 25' |
| JS1-410-50 | 5/8" 3-strand polyblend synthetic lifeline with #74N locking snaps at each end. 50' in length. | \$106.65 | 50' |
| JS1-410-75 | 5/8" 3-strand polyblend synthetic lifeline with #74N locking snaps at each end. 75' in length. | \$130.30 | 75' |
| JS1-410-100 | 5/8" 3-strand polyblend synthetic lifeline with #74N locking snaps at each end. 100' in length. | \$154.05 | 100' |
| JS1-410-150 | 5/8" 3-strand polyblend synthetic lifeline with #74N locking snaps at each end. 150' in length. | \$201.55 | 150' |
| JS1-410-200 | 5/8" 3-strand polyblend synthetic lifeline with #74N locking snaps at each end. 200' in length. | \$229.13 | 200' |
| JS1-411-25 | 5/8" 3-strand polyblend synthetic lifeline with #74N locking snaps at one end, thimble other end. 25' in length. | \$73.30 | 25' |
| JS1-411-50 | 5/8" 3-strand polyblend synthetic lifeline with #74N locking snaps at one end, thimble other end. 50' in length. | \$97.05 | 50' |
| JS1-411-75 | 5/8" 3-strand polyblend synthetic lifeline with #74N locking snaps at one end, thimble other end. 75' in length. | \$120.80 | 75' |
| US1-411-100 | 5/8" 3-strand polyblend synthetic lifeline with #74N locking snaps at one end, thimble other end. 100' in length. | \$144.55 | 100' |

| ITEM CODE: | PRODUCT: | PRICE: | SIZE: |
|----------------|--|----------|-------|
| US1-411-200 | 5/8" 3-strand polyblend synthetic lifeline with #74N locking snaps at one end, thimble other end. 200' in length. | \$220.39 | 200' |
| US1-121-1T-25 | 5/8" 3-strand polyblend synthetic lifeline with thimble on one end. 25' in length. | \$57.30 | 25' |
| US1-121-1T-50 | 5/8" 3-strand polyblend synthetic lifeline with thimble on one end. 50' in length. | \$81.05 | 50' |
| US1-121-1T-100 | 5/8" 3-strand polyblend synthetic lifeline with thimble on one end. 100' in length. | \$128.55 | 100' |
| US1-121-1T-200 | 5/8" 3-strand polyblend synthetic lifeline with thimble on one end. 200' in length. | \$223.55 | 200' |
| US1-121-1S-25 | 5/8" 3-strand polyblend synthetic lifeline with snap on one end. 25' in length. | \$66.80 | 25' |
| US1-121-1S-50 | 5/8" 3-strand polyblend synthetic lifeline with snap on one end. 50' in length. | \$90.55 | 50' |
| US1-121-1S-100 | 5/8" 3-strand polyblend synthetic lifeline with snap on one end. 100' in length. | \$138.05 | 100' |
| US1-121-1S-200 | 5/8" 3-strand polyblend synthetic lifeline with snap on one end. 200' in length. | \$233.05 | 200' |
| US1-121-2T-25 | 5/8" 3-strand polyblend synthetic lifeline with thimbles on both ends. 25' in length. | \$63.80 | 25' |
| US1-121-2T-50 | 5/8" 3-strand polyblend synthetic lifeline with thimbles on both ends. 50' in length. | \$87.55 | 50' |
| US1-121-2T-100 | 5/8" 3-strand polyblend synthetic lifeline with thimbles on both ends. 100' in length. | \$135.05 | 100' |
| US1-121-2T-200 | 5/8" 3-strand polyblend synthetic lifeline with thimbles on both ends. 200' in length. | \$230.05 | 200' |
| | ROPE - We can supply you with exactly what you need for all on-the-job applications! | | |
| US1-116-38 | 3/8" Kernmantle® rope | \$1.70 | 3/8" |
| US1-116-716 | 7/16" Kernmantle® rope | \$1.95 | 7/16" |
| US1-116-12 | 1/2" Kernmantle® rope | \$2.20 | 1/2" |
| US1-120 | 1/2" 3-strand polyblend synthetic rope | \$1.45 | 1/2" |
| US1-121 | 5/8" 3-strand polyblend synthetic rope | \$0.95 | 5/8" |
| US1-121-N | 5/8" 12-strand polyester rope | \$3.45 | 5/8" |
| US1-121-FN | 5/8" Filament nylon rope | \$2.35 | 5/8" |
| US1-125-FN | 3/4" Filament nylon rope | \$3.25 | 3/4" |
| US1-122 | 3/8" Polypropylene rope | \$0.48 | 3/8" |
| US1-123 | 1/2" Polypropylene rope | \$0.75 | 1/2" |
| US1-121RP | Rope protector for vertical or horizontal use. | \$24.30 | |
| US1-1710 | Rope termination plate for 5/8" rope lifelines without the need for knots, splicing, or crimping. (Plate ONLY - does not come with rope) | \$68.90 | |
| | Rope Grabs - Rope and Wire Rope | | |
| US1-1201 | Stainless steel trailing rope grab for use on 5/8" and 3/4" 3-strand synthetic rope. Attachable, detachable anywhere on lifeline. | \$250.63 | |
| US1-1201N | Stainless steel trailing rope grab for use on 5/8" 3-strand synthetic rope. Attachable, detachable anywhere on lifeline. | \$130.26 | |
| US1-1202AN-3 | 1201N with 3' shock absorbing lanyard attached, #74N locking snap on end. | \$193.00 | |
| US1-1202-3 | 1201 with 3' lanyard attached, #74N locking snap on end. | \$284.00 | |
| US1-1202A-3 | 1201 with 3' shock absorbing lanyard attached, #74N locking snap on end. | \$313.45 | |
| US1-1261 | Trailing rope grab for use on 5/8" 3-strand synthetic rope. Comes with "gravity washer" to prevent user from installing incorrectly. | \$140.83 | |
| US1-1352A-3 | Manual Rope grab, plated steel for use on 5/8" and 3-strand synthetic rope. Not attachable, detachable anywhere on lifeline. | \$118.20 | |
| US1-1401-38 | Stainless steel trailing cable grab for use with 3/8" and 5/16" wire rope. | \$307.10 | |
| US1-1202N-3 | 1201N with 3' lanyard attached, #74N locking snap on end. | \$163.60 | |
| US1-1262-3 | 1261 with 3' lanyard attached, #74N locking snap on end. | \$174.20 | |
| US1-1262A-3 | 1261 with 3' shock absorbing lanyard attached, #74N locking snap on end. | \$203.65 | |
| US1-1401A-38 | Stainless steel trailing cable grab for 3/8" and 5/16" wire rope, shock absorber, and carabiner. | \$349.60 | |

| ITEM CODE: | PRODUCT: | PRICE: | SIZE: |
|-----------------|--|----------|-------|
| | ROOFER'S KITS | | |
| US1-RK-25 | MRA-R double-plate roof anchor, 410 5/8" lifeline with self-locking snaps on each end, 1202AN-3 stainless trailing rope grab with 3' shock absorbing lanyard, 631 full body harness, carry bag, and instruction manual. | \$560.70 | 25' |
| US1-RK-50 | MRA-R double-plate roof anchor, 410 5/8" lifeline with self-locking snaps on each end, 1202AN-3 stainless trailing rope grab with 3' shock absorbing lanyard, 631 full body harness, carry bag, and instruction manual. | \$588.20 | 50' |
| US1-RK-100 | MRA-R double-plate roof anchor, 410 5/8" lifeline with self-locking snaps on each end, 1202AN-3 stainless trailing rope grab with 3' shock absorbing lanyard, 631 full body harness, carry bag, and instruction manual. | \$643.20 | 100' |
| US1-RKB-1720-25 | Desired roof anchor, 411 5/8" lifeline with a self-locking snap on one end and an eye thimble on the other end, 1352A-3 manual rope grab with 3' shock absorbing lanyard, 631 full body harness, storage bucket with lid, and instruction manual. 25' kit with six 1720 anchors. | \$309.15 | 25' |
| US1-RKB-1720-50 | Desired roof anchor, 411 5/8" lifeline with a self-locking snap on one end and an eye thimble on the other end, 1352A-3 manual rope grab with 3' shock absorbing lanyard, 631 full body harness, storage bucket with lid, and instruction manual. 50' kit with six 1720 anchors. | \$336.65 | 50' |
| US1-RKB-1725-25 | Desired roof anchor, 411 5/8" lifeline with a self-locking snap on one end and an eye thimble on the other end, 1352A-3 manual rope grab with 3' shock absorbing lanyard, 631 full body harness, storage bucket with lid, and instruction manual. 25' kit with 1725 anchor. | \$276.60 | 25' |
| US1-RKB-1725-50 | Desired roof anchor, 411 5/8" lifeline with a self-locking snap on one end and an eye thimble on the other end, 1352A-3 manual rope grab with 3' shock absorbing lanyard, 631 full body harness, storage bucket with lid, and instruction manual. 50' kit with 1725 anchor. | \$304.10 | 50' |
| US1-RKB-MRA-25 | Desired roof anchor, 411 5/8" lifeline with a self-locking snap on one end and an eye thimble on the other end, 1352A-3 manual rope grab with 3' shock absorbing lanyard, 631 full body harness, storage bucket with lid, and instruction manual. 25' kit with MRA-R1 anchor. | \$293.10 | 25' |
| US1-RKB-MRA-50 | Desired roof anchor, 411 5/8" lifeline with a self-locking snap on one end and an eye thimble on the other end, 1352A-3 manual rope grab with 3' shock absorbing lanyard, 631 full body harness, storage bucket with lid, and instruction manual. 50' kit with MRA-R1 anchor. | \$320.60 | 50' |
| US1-RKB1715-25 | Desired roof anchor, 411 5/8" lifeline with a self-locking snap on one end and an eye thimble on the other end, 1352A-3 manual rope grab with 3' shock absorbing lanyard, 631 full body harness, storage bucket with lid, and instruction manual. 25' kit with 1715 anchor. | \$298.35 | 25' |
| US1-RKB1715-50 | Desired roof anchor, 411 5/8" lifeline with a self-locking snap on one end and an eye thimble on the other end, 1352A-3 manual rope grab with 3' shock absorbing lanyard, 631 full body harness, storage bucket with lid, and instruction manual. 50' kit with 1715 anchor. | \$325.85 | 50' |
| | ROOF ANCHORS | | |
| JS1-MRA-R1 | Removable/reusable roof anchor (single plate) with screws. | \$39.70 | |
| JS1-MRA-R | Removable/reusable roof anchor (double plate) with screws. | \$87.95 | |
| JS1-1715 | Removable/reusable roof anchor with single D-ring attachment, as shown. Nails are included. | \$44.95 | |
| US1-1720 | Disposable roof anchor bracket for use with carabiner, as shown. Nails are included. | \$9.30 | |
| US1-1725 | Disposable roof anchor with single D-ring attachment, as shown. Nails are included. | \$23.25 | |
| US1-1730 | Permanent roof anchor with single D-ring attachment, as shown. Nails are included. | \$37.45 | |
| US1-1740 | Permanent roof anchor with double D-ring attachment. Nails are included. | \$44.95 | |
| US1-1791 | Roof mount assembly for variable pitch steel, metal or wood roofs. Mounts anywhere on the roof, rotates 360° for maximum maneuverability and safety, comes as anchor ONLY. Retractable lifeline purchased separately, choose from: RL25, RL30, or RL50 Series retracts Mounting hardware included. | \$428.40 | |
| US1-1792-18 | Roof mount assembly for variable pitch standing seam metal roofs. Mounts anywhere on the roof, rotates 360° for maximum maneuverability and safety, comes as anchor ONLY in 12"-18" or 24"-36" sizes. Retractable lifeline purchased separately, choose from: RL25, RL30, or RL50 Series retracts. Mounting hardware included. | \$550.00 | |
| | TIE-OFF STRAP ANCHORS - Tie-off strap anchors wrap around I-beams and other structures to form a secure attachment point for lanyards or other connecting devices. | | |
| US1-1122HD | 22" single D-ring tie-off strap made of 1" nylon webbing. | \$30.65 | 22" |
| US1-1124K | 2' single D-ring Kevlar® tie-off strap. | \$92.80 | 2' |
| US1-1124 | 2' Single D-ring tie-off strap. | \$39.85 | 2' |
| US1-1136 | 3' Single D-ring tie-off strap. | \$42.40 | 3' |

| ITEM CODE: | PRODUCT: | PRICE: | SIZE: |
|------------------|--|----------|-------|
| US1-1148 | 4' Single D-ring tie-off strap. | \$45.00 | 4' |
| US1-1160 | 5' Single D-ring tie-off strap. | \$47.50 | 5' |
| US1-1172 | 6' Single D-ring tie-off strap. | \$50.05 | 6' |
| US1-1196 | 8' Single D-ring tie-off strap. | \$55.15 | 8' |
| US1-1324 | 2' Double D-ring tie-off strap. | \$39.85 | 2' |
| US1-1336 | 3' Double D-ring tie-off strap. | \$41.17 | 3' |
| US1-1348 | 4' Double D-ring tie-off strap. | \$42.50 | 4' |
| US1-1372 | 6' Double D-ring tie-off strap. | \$45.10 | 6' |
| US1-1396 | 8' Double D-ring tie-off strap. | \$47.70 | 8' |
| US1-1324-WP | 2' Double D-ring tie-off strap with 3" wear pad. | \$41.45 | 2' |
| US1-1336-WP | 3' Double D-ring tie-off strap with 3" wear pad. | \$53.40 | 3' |
| US1-1348-WP | 4' Double D-ring tie-off strap with 3" wear pad. | \$56.45 | 4' |
| US1-1372-WP | 6' Double D-ring tie-off strap with 3" wear pad. | \$62.50 | 6' |
| | BEAM TROLLEY & BEAM ANCHOR | | |
| US1-106 | This Beam Trolley is adjustable and slides along the beam with the worker for maximum mobility, The flange width is adjustable from 3"-8" and provides a maximum capacity rating of 400 lbs. | \$723.60 | |
| US1-1700 | Adjustable sliding beam anchor for 3-1/2" to 12" wide flange, up to 1-1/4" thick. Can be used on the top or bottom of an I-beam, and will slide along the beam as the worker moves. The unit features double stainless springs, double action one-handed quick release latches, double-toothed latches for added strength, a centered D-ring to prevent jamming for a smoother slide, and an ultimate tensile rating of 5,000 lbs. | \$293.60 | |
| US1-1702 | Adjustable sliding beam anchor for 3-1/2" to 12" wide flange, up to 1-1/4" thick. Can be used on the top or bottom of an I-beam, and will slide along the beam as the worker moves. The unit features a quick release latch for one handed operation, and a floating D-ring. It has an ultimate tensile rating of 5,000 lbs. | \$323.60 | |
| | STEEL ANCHORAGE CONNECTORS - Steel anchorage connectors are removable/ reusable, and are made to be mounted on solid steel structures and/or steel I-beams. | | |
| US1-1550 | D-bolt anchor for up to 4" working thickness includes a 5/8" bolt assembly. | \$51.70 | |
| US1-1701 | Bolt-on Anchor Plate with D-ring. | \$63.70 | |
| US1-1769 | Spring action Girder Anchor offers one-handed operation for a variety of applications. Fits 3/4" - 1" hole diameter, maximum 1" thick material. | \$284.65 | |
| US1-1775-S3 | 1/4" stainless steel anchor plate, six ply webbing, plated steel D-ring, and 3" bolt, washers & nut for steel applications. | \$86.75 | |
| | CONCRETE ANCHORAGE CONNECTORS - Disposable concrete anchor straps (1124C & 1124CND) are designed to provide temporary anchorage in concrete. The 1-3/4" wide abrasion resistant webbing and forged steel D-ring are rated at 5,000 lbs. | | |
| US1-1124C | 2' Concrete anchor strap with D-ring. | \$11.40 | 2' |
| US1-1136C | 3' Concrete anchor strap with D-ring. | \$13.13 | 3' |
| US1-1148C | 4' Concrete anchor strap with D-ring. | \$14.78 | 4' |
| US1-1124C-CASE | 2' Concrete anchor strap with D-ring. Case of 40. | \$446.90 | 2' |
| US1-1136C-CASE | 3' Concrete anchor strap with D-ring. Case of 40. | \$514.50 | 3' |
| US1-1148C-CASE | 4' Concrete anchor strap with D-ring. Case of 40. | \$579.20 | 4' |
| US1-1124CND | 2' concrete anchor strap with web loop. | \$9.00 | 2' |
| US1-1136CND | 3' concrete anchor strap with web loop. | \$10.70 | 3' |
| US1-1148CND | 4' concrete anchor strap with web loop. | \$12.43 | 4' |
| US1-1124CND-CASE | 2' concrete anchor strap with web loop. Case of 40. | \$353.80 | 2' |
| US1-1136CND-CASE | 3' concrete anchor strap with web loop. Case of 40. | \$418.50 | 3' |
| US1-1148CND-CASE | 4' concrete anchor strap with web loop. Case of 40. | \$487.10 | 4' |

| ITEM CODE: | PRODUCT: | PRICE: | SIZE: |
|---------------|---|------------|-------|
| US1-TC100 | Concrete anchor that is placed through a hole in the concrete floor, providing workers on a lower level an over-head anchor. | \$117.50 | |
| US1-1770 | Portable and reusable concrete hole anchor, rated to 5,000 lbs. Can be used for vertical and overhead concrete applications. | \$224.75 | |
| US1-1775 | Concrete anchor with 1/4" stainless steel anchor plate, six ply webbing, and plated steel D-ring. | \$71.15 | |
| US1-1780-24 | ColumnCrete Anchor is a reusable two person anchor point for concrete columns. Attach to the D-rings with shock absorbing lanyards, retractable lanyards, or other connecting devices. 24" in length | \$215.00 | 24" |
| US1-1780-36 | ColumnCrete Anchor is a reusable two person anchor point for concrete columns. Attach to the D-rings with shock absorbing lanyards, retractable lanyards, or other connecting devices. 36" in length. | \$220.80 | 36" |
| US1-1785 | The Door Jamb Anchor is designed to be used as a temporary anchor that mounts in door or window openings from 24" to 43" wide. | \$659.15 | |
| US1-1789 | The Parapet Wall Anchor is designed to provide a single worker with a portable, temporary anchorage on parapet walls up to 20" thick. | \$512.35 | |
| US1-1790 | The rail anchor is designed to meet the needs of those workers that are working on railway line that requires a compliant means to anchor a personal fall arrest system. | \$477.65 | |
| | MULTI-USE ANCHORAGE CONNECTORS - Multi-use anchorage devices can be used in a variety of applications, however some limitations may apply. | | |
| US1-1824 | 24" Anchor Strap rated to 400 lbs. is designed for use on scaffolding, pipe, or angle iron. Features one-handed operating rebar snap #135, and connecting D-ring on the other end. | \$93.65 | |
| US1-1503 | 5" stainless steel wire hook anchor is rated to 400 lbs, and can connect to various approved anchorages including railings, smaller I-beams, angle iron or scaffolding. | \$95.15 | |
| US1-4150 | 4' Boom strap anchor attaches to boom quickly and easily with friction buckle design. Featuring 1-3/4" polyester webbing and coated steel hardware provides a minimum tensile rating of 5,000 lbs. | \$32.20 | |
| US1-4157 | 5' Boom strap with ratchet. | \$76.10 | |
| | HORIZONTAL LIFELINE SYSTEMS - Manufactured of synthetic rope or wire rope, horizontal lifeline systems allow one or two workers (up to 310 lbs. each) to remain tied off while in horizontal transition between two anchor points. | | |
| US1-RHL-30 | 30' or 60' temporary rope HLL with tensioner, tie off straps, and carry bucket. | \$759.75 | 30' |
| US1-RHL-60 | 30' or 60' temporary rope HLL with tensioner, tie off straps, and carry bucket. | \$852.40 | 60' |
| US1-RHLD-30 | 30' or 60' temporary, low stretch rope HLL with in line shock absorber, tensioner, tie off straps, and carry bucket. | \$872.95 | 30' |
| US1-RHLD-60 | 30' or 60' temporary, low stretch rope HLL with in line shock absorber, tensioner, tie off straps, and carry bucket. | \$988.70 | 60' |
| US1-CHL-30 | 30' or 60' temporary wire rope HLL with in line shock absorber, tie off straps, connectors, and carry bucket. | \$800.85 | 30' |
| US1-CHL-60 | 30' or 60' temporary wire rope HLL with in line shock absorber, tie off straps, connectors, and carry bucket. TRAVERSE TEMPORARY HORIZONTAL LIFELINE SYSTEMS - The TRAVERSE Series temporary horizontal lifeline offers ideal protection when an overhead anchorage does not exist, allowing up to two workers to tie off in each span. | \$868.60 | 60' |
| US1-TRV20S12 | 20' system (6"-12" wide base) | \$1,477.50 | |
| US1-TRV30S12 | 30' system (6"-12" wide base) | \$1,512.50 | |
| US1-TRV40S12 | 40' system (6"-12" wide base) | \$1,527.50 | |
| US1-TRV50S12 | 50' system (6"-12" wide base) | \$1,541.25 | |
| US1-TRV60S12 | 60' system (6"-12" wide base) | \$1,553.75 | |
| US1-TRV120S12 | 120' system (6"-12" wide base) | \$2,475.00 | |
| US1-TRV-S12 | Stanchion for 6"-12" wide base | \$476.40 | |
| US1-TRV-S18 | Stanchion for 12"-18" wide base | \$488.15 | |
| US1-TRV-S24 | Stanchion for 18"-24" wide base | \$498.75 | |
| US1-TRV-S36 | Stanchion for 24"-36" wide base | \$533.75 | |
| US1-TRV-PASS | Bypass/pass-thru bracket | \$63.25 | |
| | LADDER/RIGID RAIL CLIMBING SYSTEMS - Rigid rail climbing systems provide maximum climbing safety for workers in a multitude of applications | | |

| ITEM CODE: | PRODUCT: | PRICE: | SIZE: |
|--------------------------|---|-----------------------|-------|
| JS1-1-1100-AR | Anodized aluminum climbing rail, with all mounting hardware included. | \$21.40 | |
| US1-1-1105-SS | 316 stainless steel climbing rail with all mounting hardware included. | \$70.65 | |
| US1-1-1100-CR | Curved anodized aluminum climbing rail, with all mounting hardware included. | Priced on application | |
| US1-2-1200A-AT | Climbing trolley for straight, vertical aluminum rail | \$499.40 | |
| US1-2-1223-AT | Aluminum trolley for horizontal rails | \$489.05 | |
| US1-2-1221A-AT | Aluminum climbing trolley for curved/straight climbing rail. | \$512.35 | |
| US12-1224A-AT | Climbing trolley for stainless steel & aluminum climbing rails. | \$608.10 | |
| US1-5-1501 | 54" removable aluminum extension rail | \$256.20 | |
| US1-5-1502B | 42" removable stainless steel extension rail. | \$496.80 | |
| | LADDER LOCK SYSTEM - Ladder Lock System is constructed of heavy-gauge, rust proof aluminum. The braces and hardware are made of galvanized heavy gauge steel. | | |
| US1-4-1000 | Climbing trolley for straight, vertical aluminum rail | \$1,437.50 | |
| | RESCUE, RECOVERY, & CONFINED SPACE SYSTEMS | | |
| US1-R50G | Galvanized R50 Series Unit self-retracting lifeline | \$2,626.35 | 50' |
| US1-R50SS | Stainless steel R50 Series Unit self-retracting lifeline | \$2,688.90 | 50' |
| US1-R50T | Technora® R50 Series Unit self-retracting lifeline | \$2,683.90 | 50' |
| US1-MW50G | Galvanized MW Series. Manufactured of a rugged steel frame and drum, the unit includes a #45 pulley, and a carabiner for attaching the line to an anchor such as a tripod. | \$711.60 | 50' |
| US1-MW50SS | Stainless steel MW Series. Manufactured of a rugged steel frame and drum, the unit includes a #45 pulley, and a carabiner for attaching the line to an anchor such as a tripod. | \$769.15 | 50' |
| US1-MW50T | Technora® MW Series. Manufactured of a rugged steel frame and drum, the unit includes a #45 pulley, and a carabiner for attaching the line to an anchor such as a tripod. | \$769.15 | 50' |
| US1-MW100G | Galvanized MW Series. Manufactured of a rugged steel frame and drum, the unit includes a #45 pulley, and a carabiner for attaching the line to an anchor such as a tripod. | \$866.85 | 100' |
| US1-MW100SS | Stainless steel MW Series. Manufactured of a rugged steel frame and drum, the unit includes a #45 pulley, and a carabiner for attaching the line to an anchor such as a tripod. | \$939.90 | 100' |
| US1-MW100T | Technora® MW Series. Manufactured of a rugged steel frame and drum, the unit includes a #45 pulley, and a carabiner for attaching the line to an anchor such as a tripod. | \$939.90 | 100' |
| US1-TP7 | 7' aluminum tripod, 2 attachment points on head. | \$892.70 | 7' |
| US1-TP9 | 9' aluminum tripod, 2 attachment points on head. | \$1,125.60 | 9' |
| US1-S50G-7 | TP7 tripod, R50G rescue unit. | \$3,519.00 | |
| US1-S50SS-7 | TP7 tripod, R50SS rescue unit. | \$3,576.60 | |
| US1-R50G-TP7 | TP7 tripod, R50G rescue unit, 204 bag | \$3,615.70 | |
| US1-R50SS-TP7 | TP7 tripod, R50SS rescue unit, 204 bag | \$3,673.25 | |
| US1-S50G-M7 | TP7 tripod, R50G rescue unit, MW50G work winch. | \$4,230.60 | |
| US1-S50SS-M7 | TP7 tripod, R50SS rescue unit, MW50G work winch. | \$4,288.15 | |
| US1-FCPQ200 | Complete Quad Pod System. Comes with 4-leg mobile base, boom, R50G, and MW50G. | \$8,482.90 | |
| US1-FCPBOOM | FCPQ200 boom only | \$2,020.00 | |
| US1-FCPBASE-FOUR- LEG | Quad Pod 4-leg base ONLY (does not include Davit arm). | \$3,125.00 | |
| US1-FCPD300 | Complete Quad Pod System. Comes with permanent mount base, riser post, boom, R50G, and MW50G. | \$7,877.90 | |
| US1-FCPD300BASE | FCPD300 boom only | \$1,858.40 | |
| US1-FCPD300BASE | Davit Base ONLY. (does not include Davit Arm or Riser Pole.) Many bases can be purchased and mounted, and the Riser Pole and Davit Arm can be interchanged. | \$1,292.50 | |
| US1-FCPRISER | Riser pole for Davit Base | \$1,227.50 | |

| ITEM CODE: | PRODUCT: | PRICE: | SIZE: |
|-------------|---|------------|-------|
| US1-199D | Manually operated controlled descent device and a 354-2 carabiner. | \$381.95 | |
| US1-199-50 | 50' of rope with thimble eye on one end, two #354-2 carabiners, 199D controlled descent device, and drawstring carry bag. | \$558.25 | 50' |
| US1-199-100 | 100' of rope with thimble eye on one end, two #354-2 carabiners, 199D controlled descent device, and drawstring carry bag. | \$655.28 | 100' |
| US1-199-200 | 200' of rope with thimble eye on one end, two #354-2 carabiners, 199D controlled descent device, and drawstring carry bag. | \$849.35 | 200' |
| US1-99B-50 | Personal self raise/lower system comes complete with 50' working length of 3/8" Kernmantle rope, ascender handle with attached lanyard, 2 carabiners and carry bag | \$2,187.50 | 50' |
| US1-99B-75 | Personal self raise/lower system comes complete with 75' working length of 3/8" Kernmantle rope, ascender handle with attached lanyard, 2 carabiners and carry bag | \$2,412.50 | 75' |
| US1-99B-100 | Personal self raise/lower system comes complete with 100' working length of 3/8" Kernmantle rope, ascender handle with attached lanyard, 2 carabiners and carry bag | \$2,637.50 | 100' |
| US1-99B-150 | Personal self raise/lower system comes complete with 150' working length of 3/8" Kernmantle rope, ascender handle with attached lanyard, 2 carabiners and carry bag | \$3,087.50 | 150' |
| US1-99B-200 | Personal self raise/lower system comes complete with 200' working length of 3/8" Kernmantle rope, ascender handle with attached lanyard, 2 carabiners and carry bag | \$3,537.50 | 200' |
| US1-RPR-25 | RPCC-12 rescue pole assembly with bag & 25' 99B System 99 with bag. | \$2,608.15 | 25' |
| US1-RPR-50 | RPCC-12 rescue pole assembly with bag & 50' 99B System 99 with bag. | \$2,839.75 | 50' |
| US1-RPCC-12 | 6'-12' extendable rescue pole, carabiner holding clip, 354-2Z twist-lock carabiner w/ 1" gate, and 12" tagline, and bag. 99B System 99 NOT included. | \$306.84 | |
| | CONFINED SPACE ACCESSORIES | | |
| US1-204 | 16"x12"x10" hard bottom carry bag with handle and velcro closure. | \$111.90 | |
| US1-45 | Split pulley, stainless sheave, aluminum sides | \$131.85 | |
| US1-354-2Z | Twist-lock carabiner, 1" gate. | \$35.61 | |
| US1-354-5 | Twistlock carabiner, 3/4" gate. | \$28.37 | |
| US1-207 | Wristlets | \$28.00 | |
| US1-207Y | Wristlets with yoke | \$53.20 | |
| US1-207YL | Wristlets (pair) with yoke and 25' tagline | \$102.75 | |
| US1-702Y | Web yoke with spreader bar. | \$120.15 | |
| US1-WL-10 | 10' Web ladder with 1-1/4" diameter round fiberglass rungs, two #354-2 carabiners | \$441.25 | 10' |
| US1-WL-20 | 20' Web ladder with 1-1/4" diameter round fiberglass rungs, two #354-2 carabiners | \$815.00 | 20' |
| US1-WL-30 | 30' Web ladder with 1-1/4" diameter round fiberglass rungs, two #354-2 carabiners | \$1,188.75 | 30' |
| US1-WL-40 | 40' Web ladder with 1-1/4" diameter round fiberglass rungs, two #354-2 carabiners | \$1,562.50 | 40' |
| US1-WL-50 | 50' Web ladder with 1-1/4" diameter round fiberglass rungs, two #354-2 carabiners | \$1,936.25 | 50' |
| US1-203 | 17" x 8.5" x 8.5" carry bag with handle and zipper closure. | \$61.45 | |
| US1-206 | 7' tripod carrying bag | \$136.65 | 7' |
| US1-206-9 | 9' tripod carrying bag | \$156.55 | 9' |
| US1-208 | 8.5" dia. x 12" h Drawstring bag. | \$21.00 | |
| US1-208-1 | 11" dia. x 14" h Drawstring bag. | \$26.05 | |
| US1-211 | Lanyard pouch. | \$28.45 | |
| US1-220 | 8" x 4" x 10" nut and bolt bag with tool belt loops and velcro closure. | \$71.00 | |

ORDER SHEET

Date

Fax order to 1-814-455-9336

US SAFETY EQUIPMENT

| BILL TO: | | | SHIP TO: | | |
|----------|--------|------|----------|--------|------|
| Name: | | | Name: | | |
| Company: | | | | | |
| Address: | | | Address: | | |
| City: | State: | Zip: | City: | State: | Zip: |
| Phone #: | | | | | |
| Email: | | | | | |

| PRODUCT CODE: | DESCRIPTION: | | QUANTITY: | PRICE: |
|----------------------|--------------|--------|-----------|--------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | TOTAL: | | |

Please note that all orders are non-returnable.

One-Time Credit Card Payment Authorization

By signing this form you give us permission to debit your account for the amount indicated below. This is permission for a single transaction only and does not provide authorization for any additional debts or credits to your account.

| Credit Card#: | | Expiration Date: | CCV: |
|---------------|------------|---------------------|----------|
| Signature: | | | |
| VISA | MasterCard | AMERICAN EXPRESS | DISCOVER |

1-800-331-2973 | NTGPRODUCTS@YAHOO.COM | ★ QUICK SHIP ITEMS 1-2 BUSINESS DAYS

US SAFETY EQUIPMENT

PARTIAL CLIENT LIST:



- Harvard University
- Missouri D.O.T.
- New England Patriots
- New York D.O.T.

- NOAA, Juneau, AK
- Ohio D.O.T.
- O.C.S. Quantico, Va
- Parker Hannifin
- Pennsylvania D.O.T.

- U.S. Department of Energy
- U.S. Fish and Wildlife
- U.S. Army Corps of Engineers
- Weyerhaeuser



US Safety Equipment 1514 Veshecco Dr. Erie, PA 16501 USA

1-800-331-2973 NTGproducts@yahoo.com

NEW OSHA REQUIREMENT and we have the solution!

1910.28(b)(1) Unprotected sides and edges.

1910.28(b)(1)(i)

Except as provided elsewhere in this section, the employer must ensure that each employee on a walking-working surface with an unprotected side or edge that is 4 feet (1.2 m) or more above a lower level is protected from falling by one or more of the following:

1910.28(b)(1)(i)(A)

Guardrail systems;

1910.28(b)(1)(i)(B) Safety net systems; or

1910.28(b)(1)(i)(C)

Personal fall protection systems, such as personal fall arrest, travel restraint, or positioning systems

ARE YOU OSHA COMPLIANT???

